



141 King Road
Oakford, WA, 6121

Ph : (08) 9525 1324
Fax : (08) 9525 4703
Email : FarmTrees@hotlinks.net.au




www.AustralianNativeNursery.com.au








Open 7 Days 9am to 4:30pm















Plant List May14 2019








<NEW>







Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Acacia acuminata Raspberry Jam Wattle	<ul style="list-style-type: none"> tree,shrub 6-10m h x 3-5m w Flw:yellow ball • Dec to feb Fol:green Sand,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Mardabilla, Northern Jarrah Forest, Perth, Shield, Southern Cross, Southern Jarrah Forest, Tallering, Western Mallee	Shade, Shelter, Posts, craft wood, Sandalwood host Acacia acuminata has edible seeds and an edible gum. Seeds, essence, add to icecream, bread and cakes.
	Acacia aphylla Leafless Rock Wattle <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> tree 0.9-3m h x 2m w Flw:yellow • Aug to Oct Sand,Loam,Gravel,Clay 	Kalamunda, Mundaring, Northam, York	Rare and endangered
	Acacia celastrifolia Glowing Wattle	<ul style="list-style-type: none"> bushy shrub or tree 1-3m h x 1-3m w Flw:yellow • April - August Gravel,Shade 	Armadale, Beverley, Boddington, Boyup Brook, Brookton, Chittering, Collie, Cuballing, Gingin, Goomalling, Harvey, Kalamunda, Mundaring, Murray, Narrogin, Northam, Pingelly, Serpentine-Jarrahdale, Swan, Toodyay, Victoria Plains, Wagin, Wandering, Waroona, West Arthur, Williams, York	
	Acacia cyclops Western Coastal Wattle	<ul style="list-style-type: none"> dense shrub or tree (rarely) 0.8-4m h x 2-4m w Flw:yellow • September - May Sand,Coastal,Moist 	Eastern Mallee, Fitzgerald, Geraldton Hills, Hampton, Lesueur Sandplain, Mardabilla, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Good Windbreak Seeds can be ground to make flour when mixed with water and cooked as a bread. Gum from the stems can be eaten. Bardi grubs which can also be eaten can be found burrowing in the stems.
	Acacia denticulosa Sandpaper Wattle <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> Erect, diffuse, spindly shrub 1-4m h x 3-4m w Flw:yellow • September - October Sand,Loam,Clay 	Dandaragan, Merredin, Mount Marshall, Mukinbudin, Nungarin, Wongan-Ballidu	
	Acacia dentifera Toothed Acacia	<ul style="list-style-type: none"> erect, loose shrub 0.6-3m h x 3-4m w Flw:yellow • August - November Sand,Loam,Gravel 	Albany, Armadale, Boddington, Boyup Brook, Bridgetown-Greenbushes, Capel, Donnybrook-Balingup, Gosnells, Harvey, Kalamunda, Mundaring, Murray, Nannup, Serpentine-Jarrahdale, Swan, Waroona, Williams	Roast the seeds which can be added to icecream, bread and cakes.
	Acacia glaucoptera FlatWattle, Clay Wattle	<ul style="list-style-type: none"> prostrate or shrub 0.3-1.2m h x 2-3m w Flw:yellow • Aug - Dec Gravel,Clay 	Albany, Broomehill-Tambellup, Cranbrook, Esperance, Gnowangerup, Jerramungup, Kent, Lake Grace, Narrogin, Plantagenet, Quairading, Ravensthorpe, West Arthur	




Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Acacia lanuginophylla <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> dense shrub 0.5-1.2m h Flw:yellow • July - October Sand,Gravel,Clay 	Lake Grace, Yilgarn	
	Acacia lasiocalyx Silver Wattle	<ul style="list-style-type: none"> open, often weeping shrub or tree 1.5-7m h x 4-6 Flw:yellow • July - October Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Western Mallee	
	Acacia lasiocarpa Panjang	<ul style="list-style-type: none"> shrub 0.15-1.5m h x 1-3m w Flw:yellow • May - October Coastal,Shade,Moist,Adaptable 	Albany, Corrigin, Dandaragan, Gingin, Greater Geraldton, Harvey, Murray, Victoria Plains, Waroona	Low growing, bright green leaves and masses of yellow flowers in spring. The seeds can be roasted and added to icecream, bread and cakes.
	Acacia merinthophora	<ul style="list-style-type: none"> weeping shrub or tree 1.5-4m h x 3-4m w Flw:yellow • May - September Sand,Gravel 	Bruce Rock, Coolgardie, Corrigin, Cunderdin, Dundas, Kellerberrin, Kondinin, Koorda, Lake Grace, Merredin, Narrogin, Perenjori, Quairading, Tammin, Trayning, Wickepin, Wongan-Ballidu	
	Acacia nigricans	<ul style="list-style-type: none"> Shrub 0.4-2m h x 2m w Flw:yellow • Jul TO Nov Sand,Gravel,Coastal 	Esperance, Ravensthorpe	
	Acacia pulchella Prickly Moses	<ul style="list-style-type: none"> shrub 0.3-3m h x 1m w Flw:yellow • May - Dec Fol:Prickly, fern like Sand,Clay,Coastal,Moist 	Albany, Augusta-Margaret River, Beverley, Boddington, Bridgetown-Greenbushes, Busselton, Chittering, Collie, Cranbrook, Denmark, Donnybrook-Balingup, Gingin, Goomalling, Harvey, Katanning, Manjimup, Moora, Nannup, Northam, Plantagenet, Swan, Victoria Plains, Wandering, West Arthur, Williams, York	
	Acacia saligna Golden Wreath Wattle, Orange Wattle	<ul style="list-style-type: none"> Dense, often weeping shrub or tree 1.5-6m h x 3- Flw:yellow • July - November Coastal,Moist,Adaptable 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Mardabilla, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Live for 5..10years. Host for Sandalwood Acacia saligna has edible seeds. They can be roasted and added to icecream, bread and cakes. Black Cockatoo : Food








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Acacia spectabilis Mudgee Wattle	<ul style="list-style-type: none"> Upright shrub or tree 3-5m h x 2-3m w Flw:Yellow • Late winter 	NSW, QLD	Fast growing , open screen
	Acmena smithii Lilly Pilly	<ul style="list-style-type: none"> tree 6-20m h x 3-5m w Flw:white • October - March Adaptable 	QLD	Edible berries.
	Adenanthos cunninghamii prostrate <i>Priority Four</i>	<ul style="list-style-type: none"> Low growing spreading shrub 0.5m h x 2m w Flw:Small red • March, Sept and Oct Sand,Coastal 	Albany, Broomehill-Tambellup	Suitable for sun or part shade
	Adenanthos ileticos Club-leaf Adenanthos <i>Priority Four</i>	<ul style="list-style-type: none"> diffuse, lignotuberous shrub 0.7-2m h x 1-2m w Flw:pale pink, cream, yellow • March - Decembe Sand 	Esperance	
	Adenanthos pamela <i>Priority Four</i>	<ul style="list-style-type: none"> Erect shrub 0.75-1.7m h Flw:orange,red • may to december Sand,Gravel 	Augusta-Margaret River, Nannup	
	Adenanthos sericeus Woollybush	<ul style="list-style-type: none"> non-lignotuberous shrub or tree 0.5-5m h x 2-4m Flw:red, orange • June - April Gravel,Coastal 	Albany and Esperance	
	Agonis flexuosa Willow peppemint,Willow Myrtle	<ul style="list-style-type: none"> tree or shrub 4-14m h x 4-6m w Flw:white • July - December Sand,Gravel,Coastal,Adaptable 	Albany, Augusta-Margaret River, Busselton, Capel, Claremont, Denmark, East Fremantle, Fremantle, Jerramungup, Kalamunda, Mandurah, Manjimup, Nannup, Wanneroo	A. flexuosa has edible berries. Black Cockatoo : Food








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Allocasuarina huegeliana Rock Sheoak or Sighing Sheoak	<ul style="list-style-type: none"> • Tree 4-10m h x 3-6m w • Flw:red, brown • May - January • Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Mardabilla, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Western Mallee	
	Allocasuarina lehmanniana Grey Bull Oak, Dune Sheoak	<ul style="list-style-type: none"> • Shrub 0.5-4m h • Sand,Loam,Gravel,Clay,Coastal,Moist 	Albany, Boyup Brook, Cranbrook, Dandaragan, Esperance, Gingin, Gnowangerup, Katanning, Northampton, Shark Bay, Swan, Waroona	
	Anigozanthos flavidus Red tall red kangaroo pawTall	<ul style="list-style-type: none"> • Rhizomatous. perennial. Herb 0.5-1m h x 0.5-1m • Flw:red • nov to jan • Sand,Gravel,Clay,Moist,Adaptable 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Busselton, Capel, Collie, Cranbrook, Denmark, Donnybrook-Balingup, Harvey, Manjimup, Nannup, Plantagenet, Swan	A long -lived species which forms large bushy clumps of strappy leaves. It has long flowering stems up to 2m high. It is an excellent specimen plant when grown in clumps and is bird attracting.
	Anigozanthos manglesii Red & Green Kangaroo Paw	<ul style="list-style-type: none"> • Rhizomatous. perennial. Herb 0.2-1.1m h x 1m w • Flw:red, green • August - November • Sand,Loam,Coastal 	Dandaragan Plateau, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	
	Aotus gracillima	<ul style="list-style-type: none"> • Erect slender shrub 0.6-2m h • Flw:yellow & red/brown • Aug to Dec • Sand,Clay,Moist 	Augusta-Margaret River, Beverley, Boyup Brook, Busselton, Canning, Capel, Chittering, Cockburn, Collie, Coorow, Dandaragan, Gingin, Gosnells, Harvey, Kwinana, Manjimup, Melville, Murray, Nannup, Rockingham, Serpentine-Jarrahdale, South Perth, Swan, Wandering, Wanneroo, Waroona, West Arthur	
	Atriplex amnicola Swamp saltbush	<ul style="list-style-type: none"> • spreading branched shrub. 0.3-1.7m h • Sand,Clay,Coastal 	Ashburton, Beverley, Carnamah, Carnarvon, Chapman Valley, Dandaragan, Dowerin, Dumbleyung, East Pilbara, Greater Geraldton, Irwin, Kalgoorlie-Boulder, Laverton, Meekatharra, Murchison, Northampton, Perenjori, Roebourne, Shark Bay, Upper Gascoyne, Wiluna, Yalgoo	Species of Atriplex have the common name of 'Salt Bush'. They are plants of the dry interior but a few are native to coastal districts. There are approximately 40 species in Australia and some can be boiled and used as a green vegetable. Some have been used in Chinese cooking to give a salty bitter taste.





Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Atriplex nummularia Old Man Saltbush	<ul style="list-style-type: none"> Erect. bushy shrub 1-3m h Fol:Silver Loam,Clay 	Carnarvon, Coolgardie, Dowerin, Dundas, Kalgoorlie-Boulder, Menzies, Yilgarn	Species of Atriplex have the common name of 'Salt Bush'. They are plants of the dry interior but a few are native to coastal districts. There are approximately 40 species in Australia and some have been boiled and used as a green vegetable. Some have been used in Chinese cooking to give a salty bitter taste.
	Babingtonia virgata (Dwarf)	<ul style="list-style-type: none"> Small dense shrub. 0.3m h x 0.5m w Flw:White • Spring Fol:Bright green. Adaptable 	Eastern States.	Can be planted as a small hedge. Requires little pruning.
	Backhousia citriodora Lemon Scented Myrtle	<ul style="list-style-type: none"> Usually a small tree. 3-20m h x 2-8m w Flw:White • Summer - Autumn Adaptable 	QLD	This is a useful bush tucker plant. The leaves, either fresh or dried, can be used to make tea, give a lemon flavour to biscuits and cakes and also an exciting addition to lemon chicken. It can be grown in a container near the kitchen for easy access.
	Baeckea virgata	<ul style="list-style-type: none"> Shrub 2m h x 2m w Flw:White • Summer Adaptable 	Qld, NSW, NT, Vic	Tea made from the leaves produces a pleasant drink with a good aroma.
	Banksia ashbyi Ashby's Banksia	<ul style="list-style-type: none"> Small tree or shrub 1-8m h Flw:yellow-orange • Feb to Dec Sand,Coastal 	Carnarvon, Chapman Valley, Coorow, Exmouth, Greater Geraldton, Northampton, Shark Bay, Three Springs	A spectacular bird attracting specimen plant. That can also be used for cut flowers Black Cockatoo : good food source
	Banksia attenuata Coast Banksia,Slender Banksia	<ul style="list-style-type: none"> tree or shrub 4-10m h x 3-8m w Flw:yellow • Oct to Feb Sand,Loam,Gravel,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	Chewing the new growth makes a gum. GOOD FOOD SOURCE FOR BLACK COCKATOOS Banksias rarely show deficiency symptoms except when the pH is too high.
	Banksia attenuata Dwarf	<ul style="list-style-type: none"> Small tree Flw:Yellow • Oct-Feb Sand,Loam,Gravel,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	Black Cockatoo : Good food source Banksias rarely show deficiency symptoms except when the pH is too high.

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 <p>Banksia baxteri Bird's Nest Banksia</p>	<ul style="list-style-type: none"> • Non-lignotuberous shrub 1.7-4m h • Flw:yellow • Aug to Sep or Dec or Jan to May • Sand 	Albany, Cranbrook, Esperance, Gnowangerup, Jerramungup, Plantagenet, Ravensthorpe	Black Cockatoo : Good food source Banksias rarely show deficiency symptoms except when the pH is too high.	
 <p>Banksia grandis Bull / Giant Banksia or Mangite</p>	<ul style="list-style-type: none"> • Tree or shrub 1.5-10m h • Flw:yellow-green • Sep or Jan • Sand,Gravel,Coastal,Shade 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	Black Cockatoo : Very good Food source A hardy tree that is frost and drought tolerant once established. Is grown commercially for cut flowers. Makes an excellent specimen for small or larger gardens. Interesting trunk. Nyoongar people used to soak the flowers in water to produce a type of honey-sweet mead known as mangite. If this was consumed in large enough quantities, the drinker could become intoxicated. The nectar was also sucked directly from the plant. Grubs which burrow into the flower spikes were gathered and eaten. When mature, the woody spikes were used by Nyoongars to carry a smouldering coal when travelling.	
 <p>Banksia hookeriana Hooker's or Acorn Banksia</p>	<ul style="list-style-type: none"> • Much-branched. non-lignotuberous shrub 0.5-3 • Flw:yellow-orange • Apr - Oct • Sand 	Carnamah, Coorow, Irwin	Black Cockatoo : Good Food Banksias rarely show deficiency symptoms except when the pH is too high.	
 <p>Banksia ilicifolia Holly-leaved Banksia</p>	<ul style="list-style-type: none"> • tree or shrub. 5-12m h • Flw:red/orange/yellow/cream • Jan to Dec • Sand,Loam,Coastal,Moist 	Albany, Augusta-Margaret River, Bayswater, Bunbury, Busselton, Capel, Cockburn, Collie, Dandaragan, Denmark, Gingin, Harvey, Kalamunda, Kwinana, Mandurah, Manjimup, Melville, Mundaring, Murray, Nannup, Perth, Plantagenet, Serpentine-Jarrahdale, South Perth, Swan, Wanneroo, Waroona	Black Cockatoo : Very good food source Banksias rarely show deficiency symptoms except when the pH is too high.	
 <p>Banksia lanata</p>	<ul style="list-style-type: none"> • Shrub • Flw:Cream/Brown • Oct - Dec • Sand 	Carnamah, Coorow, Dandaragan, Greater Geraldton, Irwin, Three Springs.	Prefers deep acidic sandy soils. SPECIAL FEATURES: Pink new leaves and ornate pinkish white flower buds.	
 <p>Banksia leptophylla</p>	<ul style="list-style-type: none"> • Shrub 2-3m h • Flw:yellow/orange • jan-Dec • Sand,Gravel,Coastal 	Carnamah, Coorow, Dandaragan, Greater Geraldton, Irwin, Three Springs, Victoria Plains	Banksias rarely show deficiency symptoms except when the pH is too high.	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Banksia littoralis Swamp Banksia	<ul style="list-style-type: none"> • Tree or shrub 1.5-12m h • Flw:yellow/orange-yellow • Mar to Aug • Sand,Coastal,Moist 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	Black Cockatoo : Very good Food source Banksias rarely show deficiency symptoms except when the pH is too high.
	Banksia occidentalis Waterbush, Red Swamp Banksia	<ul style="list-style-type: none"> • Non-lignotuberous. small tree or shrub. 1-7m h • Flw:yellow-orange-red • Sep to Dec / Jan to May • Sand,Moist 	Albany, Augusta-Margaret River, Denmark, Esperance, Manjimup, Nannup, Plantagenet, Ravensthorpe, West Arthur	Banksias rarely show deficiency symptoms except when the pH is too high.
	Banksia prionotes Orange or Acorn Banksia	<ul style="list-style-type: none"> • .Non-lignotuberous tree or shrub 10m h • Flw:cream & orange • Feb to Aug • Sand,Loam,Gravel,Clay 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Edel, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Western Mallee	Black Cockatoo : Very good food source Banksias rarely show deficiency symptoms except when the pH is too high.
	Banksia sceptrum	<ul style="list-style-type: none"> • Shrub 1.5-5m h • Flw:yellow • Nov - Dec • Sand 	Greater Geraldton, Northampton, Shark Bay	Banksias rarely show deficiency symptoms except when the pH is too high.
	Banksia seminuda River Banksia	<ul style="list-style-type: none"> • Non-lignotuberous shrub or tree 6-8m h x 4-6m • Flw:yellow/orange-yellow/red • Mar to Aug • Sand,Loam,Gravel,Coastal 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Collie, Denmark, Donnybrook-Balingup, Harvey, Manjimup, Murray, Nannup, Plantagenet, Waroona	Banksias rarely show deficiency symptoms except when the pH is too high.
	Banksia sessilis Parrot bush	<ul style="list-style-type: none"> • Prickly shrub or tree 0.5-5m h • Flw:cream-yellow • Apr to Nov • Sand,Gravel,Coastal 	Albany, Armadale, Beverley, Brookton, Busselton, Chapman Valley, Collie, Cranbrook, Cuballing, Dandaragan, Denmark, Gingin, Gnowangerup, Manjimup, Moora, Murray, Narrogin, Plantagenet, Ravensthorpe, Serpentine-Jarrahdale, Swan, Tammin, Victoria Plains, Wandering, Wanneroo, Waroona, York	Black Cockatoo : Very good food source The flowers can be sucked for their nectar, or soaked in water to make a sweet drink. This abundant and widespread plant is critical to the survival of many animals. This is one of the most important honey producing plants in WA because it produces nectar over a long period of time.
	Banksia telmatiaea	<ul style="list-style-type: none"> • Non-lignotuberous shrub 0.5-2m h • Flw:yellow-orange/brown • Apr to Aug or Oct • Sand,Clay,Moist 	Armadale, Belmont, Canning, Chittering, Cockburn, Coorow, Dandaragan, Gingin, Gosnells, Kalamunda, Serpentine-Jarrahdale, Swan, Wandering	Banksias rarely show deficiency symptoms except when the pH is too high.








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Banksia undata Cut Leaf Dryandra ,Urchin Dryandra	<ul style="list-style-type: none"> Erect shrub 0.9-3m h Flw:yellow • July to Oct Sand,Loam,Gravel,Clay 	Serpentine-Jarrahdale, Wandering	aka Dyrandra praemorsa Black Cockatoo : Very Good food source Banksias rarely show deficiency symptoms except when the pH is too high.
	Baumea preissii	<ul style="list-style-type: none"> Rhizomatous. perennial. Sedge 0.2-2m h Flw:purple-brown-other • Jul to Dec Moist 	Busselton, Serpentine-Jarrahdale, Wanneroo, Williams	Waterlogged soils, swamps
	Beaufortia aestiva	<ul style="list-style-type: none"> Dense rounded or spreading shrub 0.7-2m h Flw:cream/orange-red • Jun to Dec or Jan to Ma Sand,Gravel 	Carnamah, Chapman Valley, Dandaragan, Greater Geraldton, Irwin, Morawa, Northampton, Shark Bay, Tammin, Three Springs, Victoria Plains, Wongan-Ballidu	
	Beaufortia anisandra	<ul style="list-style-type: none"> Small 0.5-1.5m h x 1-1.5m w Flw:Dark red/purple • Oct-May Fol:Olive-green Sand,Gravel 	Albany, Cranbrook, Gnowangerup, Plantagenet, Ravensthorpe.	Grows in very well-drained sandy or gravelly heavy soils in part to full sun.
	Beaufortia bicolor	<ul style="list-style-type: none"> Dense shrub 0.3-1m h Flw:Red, yellow, orange • Nov - Dec Sand 	Carnamah, Coorow, Dandaragan, Moora.	
	Beaufortia elegans	<ul style="list-style-type: none"> Erect shrub 0.3-1m h Flw:red/purple/pink/white • Aug to Dec or Jan t Sand,Moist 	Carnamah, Chapman Valley, Chittering, Cockburn, Coorow, Dandaragan, Dowerin, Gingin, Goomalling, Greater Geraldton, Irwin, Kwinana, Mingenew, Moora, Northampton, Perenjori, Swan, Three Springs, Victoria Plains, Wanneroo, Wongan-Ballidu	
	Beaufortia purpurea Pink Bottlebrush	<ul style="list-style-type: none"> Erect or spreading shrub 0.3-1.5m h Flw:red-purple • Oct to Dec or Jan to Feb Gravel 	Gingin, Gosnells, Kalamunda, Mundaring, Swan, York	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Beaufortia schaueri Pink Bottle Brush	<ul style="list-style-type: none"> Shrub 0.3-1m h x 1-1.5m w Flw: pink • Sept-Nov Sand, Gravel 	Albany, Corrigin, Cranbrook, Dumbleyung, Dundas, Esperance, Gnowangerup, Jerramungup, Kent, Kojonup, Kondinin, Kulin, Lake Grace, Plantagenet, Quairading, Ravensthorpe, Wagin, Wandering, Woodanilling, Yilgarn	Well drained soil. Dappled shade to full sun.	
 Beaufortia squarrosa yellow	<ul style="list-style-type: none"> Dense Shrub 0.5-2m h x 2m w Flw: Yellow • Jan-May/Aug-Dec Fol: Rich green. Sand, Gravel, Clay, Moist, Adaptable 	Armadale, Busselton, Canning, Carnamah, Chapman Valley, Chittering, Coorow, Dandaragan, Dowerin, Gingin, Gosnells, Greater Geraldton, Harvey, Irwin, Kalamunda, Morawa, Northampton, Victoria Plains, Wongan-Ballidu	BIRD ATTRACTING GOOD POT PLANT	
 Beaufortia squarrosa Red Sand Bottlebrush	<ul style="list-style-type: none"> Shrub 0.5-2m h Flw: red • Jan to May or Aug to Dec Sand, Gravel, Coastal, Moist 	Armadale, Busselton, Canning, Carnamah, Chapman Valley, Chittering, Coorow, Dandaragan, Dowerin, Gingin, Gosnells, Greater Geraldton, Harvey, Irwin, Kalamunda, Morawa, Northampton, Victoria Plains, Wongan-Ballidu		
 Boronia dichotoma	<ul style="list-style-type: none"> Erect. slender perennial. herb or shrub 0.25-1.5m Flw: pink-red/white • Aug to Dec Sand, Clay, Moist 	Armadale, Augusta-Margaret River, Bunbury, Busselton, Canning, Capel, Cockburn, Collie, Dardanup, Donnybrook-Balingup, Gosnells, Harvey, Kwinana, Murray, Waroona		
 Boronia heterophylla Red Boronia	<ul style="list-style-type: none"> Erect. slender shrub 1-3m h Flw: red/pink • Sep to Nov Sand, Moist 	Albany, Augusta-Margaret River, Busselton, Cranbrook, Denmark, Nannup, Plantagenet		
 Brachychiton rupestris Bottle Tree	<ul style="list-style-type: none"> Tree 10-20m h x 5-15m w Flw: creamy/white red strips Sand, Loam, Clay, Adaptable 	QLD		
 Brachyscome iberidifolia blue flw	<ul style="list-style-type: none"> Erect branching annual 0.05-0.45m h Flw: white, blue, purple • July - Nov Sand, Clay, Adaptable 	Avon Wheatbelt, Carnarvon, Coolgardie, Esperance Plains, Gascoyne, Geraldton Sandplains, Gibson Desert, Great Victoria Desert, Jarrah Forest, Mallee, Murchison, Pilbara, Swan Coastal Plain, Warren, Yalgoo	Has some salt tolerance.	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Brachyscome multifida Cut-leaf Daisy	<ul style="list-style-type: none"> • Groundcover 0.1-0.4m h x 0.2-1m w • Flw:purple • Most of year • Adaptable 	VIC, NSW, QLD	Ideal for rockeries, borders, garden beds
	Callistemon citrinus Crimson Bottlebrush	<ul style="list-style-type: none"> • Tree or Large Shrub 2-8m h x 2-6m w • Flw:crimson • nov - march • Coastal,Shade,Moist,Sun,Adaptable 	VIC, NSW, QLD	Widely cultivated because of its many uses. It's a beautiful fast growing specimen plant with lovely aromatic foliage. Can be grown in a container or hedged to make a fantastic screen. The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon glaucus Albany Bottlebrush	<ul style="list-style-type: none"> • Slender. erect shrub 2-3m h x 1.5m w • Flw:red/scarlet • Sep to Dec • Sand,Loam,Clay,Moist,Adaptable 	Albany, Augusta-Margaret River, Busselton, Collie, Cranbrook, Denmark, Manjimup, Nannup, Plantagenet	The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon Kings Park Special	<ul style="list-style-type: none"> • Shrub 3-5m h x 4m w • Flw:red bottle brush • Spring • Adaptable 	Eastern States selected species	Excellent as a street tree or small feature tree. Makes a useful screen or beautiful as a tub plant. The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon Little John	<ul style="list-style-type: none"> • Dense Shrub 1m h x 1m w • Flw:Red • Spring • Adaptable 		SPECIMEN PLANT, BIRD ATTRACTING, DROUGHT RESISTANT, CONTAINER PLANT The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon pallidus	<ul style="list-style-type: none"> • Large shrub. 1-4m h x 2m w • Flw:Lilac flowers • Winter-Summer • Adaptable 	Native to Victoria & Tasmania, The colour of the flowers can be variable	Moist soils in protected position.








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Callistemon phoeniceus Lesser Bottlebrush	<ul style="list-style-type: none"> • Shrub,tree 2-6m h x 3-5m w • Flw:Red • Spring • Sand,Gravel,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Tallering, Warren, Western Mallee, Western Murchison	This plant is tough and long lasting Tolerant of a wide range of soils and situations.A dense shrub with green/grey leaves and masses of bright red flowers in spring. Excellent screen, hedge and low windbreak.This plant is tough and long lasting. The flowers can be sucked for their nectar and also soaked in water to make a sweet drink.
	Callistemon pinifolius Pine-leaved Bottlebrush	<ul style="list-style-type: none"> • Shrub 0.5-1.5m h x 2-4m w • Flw:yellow/Green or red Fol:Pine like • Adaptable 	NSW	The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon rigidus Stiff Bottlebrush	<ul style="list-style-type: none"> • Shrub 1-2.5m h x 2-4m w • Flw:Red • Spring summer • Moist,Adaptable 	NSW	The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon salignus White Weeping Bottlebrush	<ul style="list-style-type: none"> • Shrub,tree 4-7m h x 3-5m w • Flw:Cream,White • Spring • Adaptable 	NSW, QLD	The flowers can be sucked for their nectar or soaked in water to make a sweet drink.
	Callistemon White Anzac	<ul style="list-style-type: none"> • Shrub 1m h x 1m w • Flw:White • Spring • Adaptable 	Cultivar, Eastern States	
	Callitris pyramidalis Swamp Cyprus	<ul style="list-style-type: none"> • shrub 1-4m h x 2-5m w • Flw:cone • January - December Fol:Stiff dark gre • Sand,Loam,Moist 	Gosnells	
	Calothamnus hirsutus	<ul style="list-style-type: none"> • Often spreading shrub 0.8m h x 1m w • Flw:red • Sep to Dec or Jan to Feb • Sand,Loam,Gravel,Clay,Adaptable 	Armadale, Canning, Carnamah, Cockburn, Coorow, Dandaragan, Gingin, Gosnells, Irwin, Moora, Murray, Serpentine-Jarrahdale, Three Springs, Victoria Plains, Wanneroo, Wongan-Ballidu	A low growing dense shrub with red half bottlebrush flowers. Its attractive leaves make it a good reliable addition to mixed flower beds.

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Orgin (LGA or IBRA)	Notes	Comment
 Calothamnus lateralis	<ul style="list-style-type: none"> Erect & slender shrub 0.75-1.5m h x 1-2m w Flw:red • Jan or May to Dec Fol:Slender Sand,Moist,Sun,Adaptable 	Fitzgerald, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	A VERY ATTRACTIVE POT PLANT.	
 Calothamnus quadrifidus One-sided Bottlebrush,Common Netbush	<ul style="list-style-type: none"> Erect. compact or spreading shrub 2-4m h x 2-5m Flw:red/white-yellow • Jun to Dec Sand,Gravel,Coastal,Moist,Adaptable 	Busselton, Capel, Cranbrook, Dandaragan, Esperance, Jerramungup, Lake Grace, Pingelly, Plantagenet, Ravensthorpe, Wanneroo, Wongan-Ballidu, Yilgarn	This is a fast growing specimen plant with bright red half bottlebrush flowers. It flowers in spring and the birds just love it. The flowers can be sucked for their nectar or soaked in water to provide a sweet drink.	
 Calothamnus quadrifidus Grey Form One sided bottlebrush	<ul style="list-style-type: none"> Shrub 0.5-3m h x 2-5m w Flw:red, white • June-dec Coastal,Adaptable 	Albany, Boyup Brook, Busselton, Capel, Cranbrook, Dandaragan, Esperance, Jerramungup, Kent, Lake Grace, Mount Marshall, Pingelly, Plantagenet, Ravensthorpe, Wanneroo, Wongan-Ballidu, Yilgarn	This is an upright fairly dense shrub with grey leaves and rich red half bottlebrush flowers in spring. It is tough and requires no irrigation.	
 Calothamnus quadrifidus subsp homalophyllus	<ul style="list-style-type: none"> Shrub 2m h x 2m w Flw:Red • Spring Fol:Green Sand,Adaptable 	Chapman Valley, Greater Geraldton, Northampton, Perth, Serpentine-Jarrahdale.		
 Calothamnus rupestris Cliff Net-bush <i>Priority Four</i>	<ul style="list-style-type: none"> Shrub 1.5-3m h x 2-3m w Flw:pink-red • Jul to Dec Sand,Gravel,Clay,Shade,Adaptable 	Armadale, Beverley, Boyup Brook, Collie, Gosnells, Kalamunda, Murray, Perth, Pingelly, Serpentine-Jarrahdale, Stirling, Swan, Victoria Plains, Wandering, York		
 Calothamnus sanguineus Blood-red Net-bush	<ul style="list-style-type: none"> Erect to open spreading shrub. 2.5m h x 1-3m w Flw:red • Mar to Nov Sand,Gravel,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	A bird attracting specimen plant with silky pine-like leaves. Grows well in coastal sands and can be kept bushy with regular light pruning. Will flower in semi-shade and can be planted beneath sparsely leaved trees.	
 Calothamnus tuberosa	<ul style="list-style-type: none"> Erect shrub with stiff spikey leaves 1.5-3m h Flw:Red • Sep-Dec.Jan-Feb.April Loam,Gravel 	Coolgardie, Dundas, Esperance, Kondinin, Mukinbudin, Westonia		


Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Calytrix acutifolia	<ul style="list-style-type: none"> Slender. open-branched shrub 2m h x 2m w Flw:white/cream/yellow • Apr to Dec Sand,Loam,Gravel,Clay,Coastal,Moist 	Beverley, Cuballing, Gosnells, Kalamunda, Mundaring, Murray, Serpentine-Jarrahdale, Victoria Plains	
	Calytrix depressa	<ul style="list-style-type: none"> Shrub 0.2-1m h Flw:purple-pink-violet/yellow • Jan to Dec Sand,Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Murchison, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Talling, Western Mallee	
	Calytrix fraseri	<ul style="list-style-type: none"> Shrub 0.2-1m h Flw:pink/pink & purple & yellow • Nov to Aug Sand,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Western Mallee	
	Calytrix leschenaultii	<ul style="list-style-type: none"> Shrub 0.15-1m h Flw:purple-violet-pink-blue • Jun to Nov Sand,Loam,Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Talling, Western Mallee	
	Calytrix tetragona Upright form - from Chingarrup	<ul style="list-style-type: none"> Shrub 0.2-1.5m h x 1m w Flw:White-pink. • Spring Fol:Green Sand,Coastal,Adaptable 	Chingarrup Sanctuary	
	Carpobrotus virescens Coastal Pigface	<ul style="list-style-type: none"> Prostrate. succulent . Herb 0.1-0.3m h x 1-2m w Flw:purple-pink/white • Jun to Dec or Jan Sand,Coastal 	Albany, Augusta-Margaret River, Busselton, Capel, Cockburn, Coorow, Dandaragan, Dundas, Esperance, Exmouth, Gingin, Greater Geraldton, Irwin, Jerramungup, Joondalup, Mandurah, Manjimup, Murray, Northampton, Rockingham, Wanneroo	A ground hugging succulent with bright pink flowers and a white centre. When the petals drop off the fruit base of the flower swells up. The juicy centre contains seeds in a white pulp which tastes like zucchini. The juice from the leaves can be used to treat burns, scalds and stings.
	Casuarina cunninghamiana River Oak	<ul style="list-style-type: none"> tree 10-30m h x 10-12m w Sand,Gravel,Clay,Coastal 	QLD, NSW	Fast Growing, Good shade or shelter Black Cockatoo : food source







Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Chamelaucium axillare Esperance Wax	<ul style="list-style-type: none"> Erect shrub 0.2-2m h Flw:white-pink-red • Sep to Dec Sand,Gravel 	Dundas, Esperance, Ravensthorpe	
	Chamelaucium DOUBLE WHITE	<ul style="list-style-type: none"> Shrub 2.5m h x 2.5m w Flw:double White • Spring Sand,Loam,Gravel,Coastal 	Western Australian Selected species	
	Chamelaucium Lady Stephanie	<ul style="list-style-type: none"> Shrub 2-2.5m h x 2.5-4m w Flw:pale pink Sand,Loam,Gravel 	Western Australian selected form	FAST GROWING. DENSE. RESPONDS WELL TO PRUNING. REQUIRES LITTLE OR NO IRRIGATION. The masses of waxy flowers in spring attract insects which in turn attracts the insect eating birds. Grows well on coastal sands. This form grows dense and requires little or no irrigation.
	Chamelaucium Paddy's Pink	<ul style="list-style-type: none"> Medium shrub 1-1.5m h x 3m w Flw:Pink • Spring Sand,Loam,Gravel,Coastal 		This plant can be cut right back and will regrow beautifully if it becomes to tall. An attractive hybrid between a Chamelaucium and a Verticordia. I has masses of beautiful pink waxy flowers in spring.
	Chorilaena quercifolia	<ul style="list-style-type: none"> Shrub 0.5-5m h Flw:yellow-cream-white-green • April - Jan Fol:O Sand,Loam,Coastal 	Albany, Augusta-Margaret River, Busselton, Denmark, Manjimup, Nannup, Plantagenet	Has attractive foliage. Would attractive in a pot. Native to the Karri Forest of the S.W.
	Chorizema cordatum Heart-leaved Flame Pea	<ul style="list-style-type: none"> Erect. straggling or climbing shrub 0.3-1.5m h Flw:yellow & orange & red/pink • Jul to Dec Loam,Gravel,Clay,Shade,Moist 	Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	
	Chrysocephalum apiculatum Green Leaf Form	<ul style="list-style-type: none"> Prostrate Perennial Herb 0.3m h Flw:Bright yellow • Jan - Dec Fol:Silver/Green Adaptable 	Avon Wheatbelt, Carnarvon, Central Kimberley, Central Ranges, Coolgardie, Esperance Plains, Gascoyne, Geraldton Sandplains, Great Sandy Desert, Great Victoria Desert, Jarrah Forest, Little Sandy Desert, Mallee, Murchison, Northern Kimberley, Nullarbor, Pilbara	ATTRACTIVE MASS PLANTED. HARDY SPECIES. ROCKERY, GARDEN EDGE. CONTAINER.

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Chrysocephalum apiculatum Grey leaf form	<ul style="list-style-type: none"> • Prostrate Perennial Herb 0.3m h x 0.5m w • Flw:Bright Yellow • Jan-Dec Fol:Silver/grey • Adaptable 	Avon Wheatbelt, Carnarvon, Central Kimberley, Central Ranges, Coolgardie, Esperance Plains, Gascoyne, Geraldton Sandplains, Great Sandy Desert, Great Victoria Desert, Jarrah Forest, Little Sandy Desert, Mallee, Murchison, Northern Kimberley, Nullarbor, Pilbara	Attractive when mass planted. Hardy species. Rockery. Container.	
 Conospermum stoechadis Common smoke bush	<ul style="list-style-type: none"> • Erect. multi-stemmed. lignotuberous shrub 0.3-2 • Flw:white • Jul to Dec • Sand,Gravel,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Edel, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Cross, Southern Jarrah Forest, Western Mallee	ATTRACTIVE DOTTED THROUGH GARDEN BEDS. GOOD CUT FLOWER. BENEFITS FROM LIGHT PRUNING.	
 Conostylis aculeata Prickly Conostylis	<ul style="list-style-type: none"> • Rhizomatous. perennial. grass-like 0.06-0.5m h • Flw:yellow • Aug to Nov • Loam,Gravel,Clay,Coastal,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	Grows in a clump of slightly spiny leaves to 30cm with masses of woolly yellow flowers borne on stems in spring and summer. A hardy species best planted in clumps.	
 Correa Dusky Bells	<ul style="list-style-type: none"> • Shrub 0.3-1m h x 2-4m w • Flw:pink • Autumn - Spring • Shade,Sun,Adaptable 	Native to South Australia	A very attractive winter flowering ground cover or edging plant, that thrives in part shade. Also makes an attractive container plant.	
 Correa glabra Red Rock Correa	<ul style="list-style-type: none"> • Rounded shrub 1.5m h x 1.5m w • Flw:Red/green • Spring • Shade,Adaptable 	Native to SA NSW QLD VIC	LOW HEDGING PLANT. HARDY. ADAPTABLE.	
 Correa puchella Pink Mist	<ul style="list-style-type: none"> • Shrub 0.75m h x 1m w • Flw:Pink • may - July • Shade,Sun,Adaptable 			
 Correa pulchella Nana Orange	<ul style="list-style-type: none"> • Small compact shrub. 0.4m h • Flw:Orange • Autumn • Shade,Adaptable 		Delightful addition to any garden.	







Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	<ul style="list-style-type: none"> • Shrub 0.1-0.6m h x 1-1.5m w • Flw:Pink • Autumn • Shade,Sun,Adaptable 	Native to South Australia	A very pretty bird attracting container plant or on the edge of a path.	
	<ul style="list-style-type: none"> • Tree (mallee. rarely) 15-20m h x 10-15m w • Flw:white/pink • Dec or Jan to May • Sand,Gravel,Clay,Adaptable 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	Black Cockatoo : Very good for food, nesting and roosting Edible seeds.	
	<ul style="list-style-type: none"> • tree 15-30m h x 10-25m w • Flw:cream.white • Coastal,Adaptable 		Ornamental , branch dropper	
	<ul style="list-style-type: none"> • Tree 12-15m h • Flw:Cream-white • Feb to May • Sand,Coastal 	Derby-West Kimberley, Halls Creek, Port Hedland, Wyndham-East Kimberley.		
	<ul style="list-style-type: none"> • Small tree 6-15m h x 5-10m w • Flw:White, Red, Orange • Dec to May • Sand,Loam,Gravel 	Albany, Denmark, Manjimup, Plantagenet	THESE SEED GROWN PLANTS CAN HAVE DIFFERENT FLOWER COLOURS. IT IS DIFFICULT TO PREDICT WHICH COLOUR FLOWERS THESE TREES WILL HAVE. PURE WHITE IS UNUSUAL.	GOOD COCKATOO FOOD.
	<ul style="list-style-type: none"> • Tree 20-30m h x 10-20m w • Flw:Small white • Winter-Spring • Sand,Loam,Gravel,Clay,Adaptable 	Queensland & New South Wales	Black Cockatoo : roosting tree	
	<ul style="list-style-type: none"> • Shrub 1m h x 1m w • Flw:pink • All year • Shade,Sun,Adaptable 	Eastern States Cultivar		







	Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Cymbopogon ambiguus Lemon Grass	<ul style="list-style-type: none"> • Aromatic. tufted perennial. grass-like or herb 0.3 • Flw:green • Nov to Dec or Jan to Jun • Sand,Loam,Gravel,Coastal,Adaptable 	Avon Wheatbelt, Carnarvon, Central Kimberley, Central Ranges, Coolgardie, Dampierland, Esperance Plains, Gascoyne, Geraldton Sandplains, Gibson Desert, Great Sandy Desert, Great Victoria Desert, Little Sandy Desert, Murchison, Northern Kimberley, Nullarbor, Ord Victoria Plain, Pilbara, Tanami, Victoria Bonaparte, Yalgoo	Cook leaves for a lemon flavoured drink. Medicinal, apparently better than aspirin for headaches.	
	Cymbopogon obtectus Silky Heads	<ul style="list-style-type: none"> • Tufted perennial. grass-like or herb 0.3-1m h • Flw:green-purple • Jan or Nov to Dec or Apr to S 	Avon Wheatbelt, Carnarvon, Central Kimberley, Central Ranges, Coolgardie, Dampierland, Esperance Plains, Gascoyne, Geraldton Sandplains, Gibson Desert, Great Victoria Desert, Jarrah Forest, Little Sandy Desert, Mallee, Murchison, Ord Victoria Plain, Pilbara, Swan Coastal Plain, Yalgoo	Edible stem roots.	
	Dampiera altissima	<ul style="list-style-type: none"> • Decumbent to ascending. woody perennial. Herb • Flw:blue/purple-blue • Jun to Oct • Sand,Loam,Gravel 	Chapman Valley, Greater Geraldton, Northampton, Shark Bay, Three Springs, Toodyay		
	Dampiera diversifolia	<ul style="list-style-type: none"> • Prostrate shrub. 0.03-0.75m h x 0.6m w • Flw:blue/blue-purple • Sep to Dec • Sand 	Broomehill-Tambellup, Cranbrook, Denmark, Gnowangerup, Jerramungup, Plantagenet, Ravensthorpe, West Arthur	CHARMING SPREADING PLANT. ROCKERY. SLOPING BANKS. CONTAINER PLANT. HANGING BASKETS.	
	Dampiera linearis Extracts Blue	<ul style="list-style-type: none"> • Suckering groundcover 0.15-0.6m h • Flw:blue • Jul to Dec • Sand,Gravel,Clay,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee		
	Dampiera linearis Hazel Dempster	<ul style="list-style-type: none"> • Suckering groundcover 0.15-0.16m h • Flw:Blue • July - Dec Fol:Green • Sand,Gravel,Clay,Shade,Adaptable 	Grows in many areas of the Southwest of WA. This is a selected form.	Makes an attractive pot plant.	
	Dampiera linearis	<ul style="list-style-type: none"> • Erect perennial. Herb 0.15-0.6m h • Flw:blue • Jul to Dec • Sand,Gravel,Clay,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee		






Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Dampiera linearis Long leaved form.	<ul style="list-style-type: none"> Erect perennial herb Flw:Blue • July-Dec Fol:Long leaved form. Sand,Loam,Gravel,Clay,Adaptable 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee.	Grows well in pots and hanging baskets.	
 Dampiera loranthifolia	<ul style="list-style-type: none"> Erect perennial herb. Flw:Blue • May or Jul or Sep-Dec Sand,Loam,Gravel 	Esperance, Gnowangerup, Plantagenet, Ravensthorpe		
 Dampiera purpurea	<ul style="list-style-type: none"> Shrub 1m h x 1m w Flw:Purple • Spring summer Moist,Adaptable 	NSW, QLD, Vic	Requires moist areas	
 Dampiera teres	<ul style="list-style-type: none"> Erect. much-branched shrub 0.15-0.6m h Flw:blue/purple • Aug - Oct Sand,Clay,Moist,Adaptable 	Carnamah, Coorow, Dandaragan, Gingin, Irwin, Moora, Swan, Three Springs, Victoria Plains, Wongan-Ballidu, York	Level 2	
 Darwinia citriodora Lemon-scented Myrtle	<ul style="list-style-type: none"> Small shrub 0.5-2m h x 1-1m w Flw:yellow-green/red • May to Dec Gravel,Shade,Sun 	Albany, Armadale, Augusta-Margaret River, Boddington, Bridgetown-Greenbushes, Busselton, Chittering, Collie, Cranbrook, Dardanup, Denmark, Donnybrook-Balingup, Gosnells, Harvey, Kalamunda, Manjimup, Mundaring, Murray, Nannup, Plantagenet, Serpentine-Jarrahdale, Swan, Wandering	Black Cockatoo : food source Unusual flowers small tightly packed flowersand aromatic foliage plus being hardy and adaptable The leaves are a grey-green colour to a reddish bronze during autumn and winter. Aromatic foliage, bird attracting.	
 Darwinia citriodora Prostrate Form Lemon-scented Myrtle	<ul style="list-style-type: none"> groundcover 0.3m h x 1.5m w Flw:red white • May-Dec Gravel,Shade,Sun 	Albany, Armadale, Augusta-Margaret River, Boddington, Bridgetown-Greenbushes, Busselton, Chittering, Collie, Cranbrook, Dardanup, Denmark, Donnybrook-Balingup, Gosnells, Harvey, Kalamunda, Manjimup, Mundaring, Murray, Nannup, Plantagenet, Serpentine-Jarrahdale, Swan, Wandering	Black Cockatoo : food source Unusual flowers small tightly packed flowersand aromatic foliage plus being hardy and adaptable make this a great groundcover,each plant can cover 1-2 square metres of garden bed. The leaves are a grey- green colour to a reddish bronze during autumn and winter. Aromatic foliage, bird attracting.	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Darwinia taxifolia	<ul style="list-style-type: none"> • Shrub 0.3-1m h • Flw:Red • Spring Summer • Shade,Moist,Sun,Adaptable 	NSW		
 Daviesia divaricata	<ul style="list-style-type: none"> • Erect shrub or tree (small) 0.3-3m h • Flw:yellow/orange/red/purple/brown • Jun to N • Sand,Gravel,Coastal,Adaptable 	Augusta-Margaret River, Boyup Brook, Bridgetown-Greenbushes, Busselton, Capel, Carnamah, Chapman Valley, Coorow, Dandaragan, Dardanup, Donnybrook-Balingup, Gingin, Greater Geraldton, Kalamunda, Northampton, Perenjori, Serpentine-Jarrahdale, Swan, Wanneroo		
 Dianella revoluta Wavy Flax Lilly	<ul style="list-style-type: none"> • Clumping strappy leaf 0.3-1m h x 0.5-1m w • Flw:blue-purple-violet • Aug to Dec • Gravel,Coastal,Adaptable 	Tasmania		
 Dianella revoluta Black-anther Flax-lily	<ul style="list-style-type: none"> • Rhizomatous. perennial. Herb 0.3-1.5m h x 0.5-2. • Flw:blue-purple-violet • Aug to Dec • Shade,Sun,Adaptable 	Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Mallee, Eastern Murchison, Edel, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee, Wooramel	A clumping species with long attractive strappy leaves. Is happiest when grown in a little shade with a little water.	
 Dianella revoluta Variegata Variegated Blue Flax Lily	<ul style="list-style-type: none"> • Rhizomatous. perennial. Herb 0.3-1.5m h x 0.5-2. • Flw:blue-purple-violet • Aug to Dec • Gravel,Coastal,Adaptable 	Eastern States		
 Diaspasis filifolia Thread-leaved Diaspasis (Pink)	<ul style="list-style-type: none"> • Slender perennial shrub 0.4-0.8m h x 0.3-0.8m w • Flw:Pink • Sep to Jan Fol:Fine green leaves. • Sand,Clay,Moist 	Albany, Augusta-Margaret River, Busselton, Capel, Cranbrook, Denmark, Manjimup, Nannup, Plantagenet		
 Diaspasis filifolia Thread-leaved Diaspasis (White)	<ul style="list-style-type: none"> • Slender perennial shrub. • Flw:White • Sept - Jan Fol:Fine green leaves. • Sand,Clay,Moist 	Albany, Augusta-Margaret River, Busselton, Capel, Cranbrook, Denmark, Manjimup, Nannup, Plantagenet		






Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Dichondra repens Kidney-weed, Kidney-grass	<ul style="list-style-type: none"> • creeping perennial. Herb 0.04m h x 1-2m w • Flw:white/green-yellow • Sep to Oct • Coastal 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Canning, Cockburn, Denmark, Dundas, Esperance, Jerramungup, Manjimup, Nannup, Plantagenet, Ravensthorpe, Rockingham	GOOD FLAT GROUNDCOVER. PREFERS MOIST, SHADE, SANDY SPOTS.
	Disphyma crassifolium	<ul style="list-style-type: none"> • Prostrate succulent shrub. • Flw:Pink-purple-violet • Jan-Feb, May or Aug • Sand,Loam,Clay,Adaptable 	Albany, Bruce Rock, Coorow, Dalwallinu, Dumbleyung, Esperance, Jerramungup, Kalgoorlie-Boulder, Katanning, Kellerberrin, Kent, Lake Grace, Menzies, Mount Marshall, Northampton, Nungarin, Perenjori, Quairading, Ravensthorpe, Sandstone	Grows in saline areas.
	Dodonaea hackettiana Hackett's Hop Bush <i>Priority Four</i>	<ul style="list-style-type: none"> • Erect shrub or tree 1-5m h • Flw:yellow-green/red • mainly Jul to Oct • Sand,Coastal 	Cockburn, Fremantle, Gingin, Kwinana, Perth, Rockingham, South Perth	
	Eremaea pauciflora	<ul style="list-style-type: none"> • Erect to spreading shrub 0.5-2.5m h x 0.5-2.5m w • Flw:orange/red/yellow • Jul to Dec or Jan • Sand,Coastal,Sun 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Cross, Southern Jarrah Forest, Western Mallee	
Eremaea purpurea	<ul style="list-style-type: none"> • Erect shrub 0.4-2m h • Flw:pink-purple/white • Oct to Dec or Jan to Feb • Sand,Moist 	Beverley, Chittering, Gingin, Swan, Wanneroo	Makes an attractive addition to flowerbeds.	
	Eremophila biserrata <i>Priority Four</i>	<ul style="list-style-type: none"> • Prostrate Shrub 0.1m h x 3m w • Flw:green ggreen-yellow • Sep Mar • Sand,Coastal,Shade,Sun 	Esperance, Kondinin, Lake Grace	Tolerates frost, drought
	Eremophila calorhabdos Red Rod, Spiked Eremophila	<ul style="list-style-type: none"> • Erect. spindly shrub 1-3m h x 0.5-2m w • Flw:red/pink-purple-red • winter summer • Sand,Loam,Clay,Shade,Moist,Sun 	Coolgardie, Dundas, Esperance, Lake Grace	



Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eremophila calorhabdos x denticulata	<ul style="list-style-type: none"> Erect. spindly shrub 1.5m h x 1m w Flw:red/pink-purple-red • winter summer Sand,Loam,Clay,Shade,Moist,Sun 	Hybrid, Coolgardie, Dundas, Esperance, Lake Grace	Tolerates part shade
	Eremophila decipiens ssp linearifolia 'Bundabandi Creek Red'	<ul style="list-style-type: none"> Low shrub 0.15-0.9m h Flw:Orange/Red • Aug-Oct Fol:Narrow leaves. Sand,Gravel,Clay 	Found throughout the eastern wheatbelt and east into the Goldfields.	
	Eremophila densifolia ssp. Densifolia Purple Carpet	<ul style="list-style-type: none"> Shrub 0.15m h x 1.5m w Flw:blue-purple • Sep to Dec or Jan to Apr Sand,Loam,Gravel,Clay,Coastal,Shade,Sun,Adaptable 	Ravensthorpe	Tolerates part shade
	Eremophila drummondii x nivea Spring Affair	<ul style="list-style-type: none"> Shrub 2m h x 1-1.5m w Flw:Purple • Spring Sand,Loam,Gravel,Clay,Coastal,Shade,Sun 	Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Goldfield, Eastern Murchison, Southern Cross, Tallering, Western Mallee	Tolerates part shade
	Eremophila glabra Arro	<ul style="list-style-type: none"> Spreading shrub 0.5-1m h Flw:Bright yellow • Spring Sand,Loam,Gravel,Clay,Adaptable 		
	Eremophila glabra Brice	<ul style="list-style-type: none"> Shrub 0.7-1m h x 1m w Flw:yellow Coastal,Shade,Sun,Adaptable 		SMALL HEDGING PLANT. DROUGHT RESISTANT. CONTAINER PLANT.
	Eremophila glabra Orange	<ul style="list-style-type: none"> Dense shrub 1m h x 1m w Flw:Orange • Winter-Spring Adaptable 		








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eremophila glabra Kalbarri Carpet	<ul style="list-style-type: none"> • Groundcover 0.5m h x 2m w • Flw:Yellow • winter spring Fol:silver • Sand,Loam,Gravel,Clay,Coastal 	<p>A selected form which is a tough groundcover with silver-grey leaves. Pruning is recommended to encourage bush growth. A native of Kwinana. Edible seeds.</p>	
	Eremophila glabra Amber Carpet	<ul style="list-style-type: none"> • Groundcover 0.3m h x 2m w • Flw:Amber • Spring Autumn • Sand,Loam,Clay,Coastal,Shade,Moist,Sun,Adaptable 	<p>This is a selected form of Eremophila glabra which makes a good hardy prostrate groundcover. Pruning is recommended to encourage bushy growth. Tolerates frost,drought and dry conditions</p>	
	Eremophila glabra Mingenew Gold	<ul style="list-style-type: none"> • Prostrate shrub • Flw:yellow • spring • Sand,Gravel,Clay,Coastal,Moist,Adaptable 	<p>Can Tolerate saline soils</p>	
Eremophila glabra sp groundcover				
	Eremophila latrobei	<ul style="list-style-type: none"> • Medium shrub 1-2m h • Flw:Red to purplish red • Winter to early summe • Sand,Sun 		
	Eremophila lehmanniana Lilac/white	<ul style="list-style-type: none"> • Erect shrub 1.5-2m h x 0.5-1m w • Flw:lilac/white • Jul to Nov • Sand,Gravel,Clay,Shade,Sun,Adaptable 	<p>Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Mallee, Fitzgerald, Lesueur Sandplain, Recherche, Southern Cross, Western Mallee</p>	<p>Tolerates part shade</p>
	Eremophila maculata Pink Passion	<ul style="list-style-type: none"> • Shrub 1.2m h x 1.2m w • Flw:deep pink • Spring Summer • Loam,Gravel,Clay,Shade,Sun,Adaptable 	<p>WA Selected Form</p>	<p>Tolerates light frost and drought</p>








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eremophila maculata Magic Blush	<ul style="list-style-type: none"> shrub 1-2m h x 1-2m w Flw:red • june to dec Loam,Gravel,Clay,Shade,Sun,Adaptable 	A fast growing, very hardy, evergreen shrub usually reaching about 1.5m high and wide. Dark green foliage becomes tinged with red during flowering. Deep red to reddish purple, tubular, bird attracting flowers are produced from mid winter to early summer. Prune after flowering to encourage bushier growth.	
	Eremophila maculata Big Red - magenta	<ul style="list-style-type: none"> Shrub 2m h x 2m w Flw:Cerise pink • Spring Summer Loam,Gravel,Clay,Shade,Sun,Adaptable 	WA, NT	Tolerates light frost , drought, part shade
	Eremophila maculata Fairy Floss	<ul style="list-style-type: none"> Small shrub. 1.2m h x 1.5m w Flw:Orange/Yellow buds, pink flws • Winter-spri Adaptable 	Western Australian Selected Form	This plant has a profuse flowering habit.
	Eremophila maculata Allara (syn Lemon Delight)	<ul style="list-style-type: none"> Shrub 1.2m h x 1.2m w Flw:Pale lemon flowers Loam,Gravel,Clay,Shade,Sun,Adaptable 		Tolerates light frost and drought
	Eremophila nivea Silky Eremophila, Spring Mist <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> shrub 1-2m h x 0.7-1.5m w Flw:Violet • Aug to Oct Fol:Soft grey to white Sand,Clay,Coastal,Shade,Sun,Adaptable 	Carnamah, Morawa, Perenjori, Three Springs	BEAUTIFUL PLANT WITH WHITE/SILVER LEAVES AND VIOLET FLOWERS. HIGHLY ORNAMENTAL. CONTAINER PLANT. WILL GROW IN DAPPLED SHADE. DROUGHT-RESISTANT.
	Eremophila serrulata MS Long Leaf Serrate Leaved Eremophila	<ul style="list-style-type: none"> Erect or spreading shrub. Flw:green/yellowish green. • Apr-Oct. Sand,Loam,Clay,Adaptable 	In WA found between Warburton and Shark Bay. Also native to SA, NT and NSW.	Very hardy. Long Lived Attracts nectar eating birds.
	Eucalyptus accedens Powderbark Wandoo	<ul style="list-style-type: none"> tree 8-25m h x 6-15m w Flw:white-cream • Dec to Apr Loam,Gravel,Clay 	Beverley, Brookton, Carnamah, Chittering, Coorow, Cuballing, Dandaragan, Irwin, Kalamunda, Moora, Mundaring, Murray, Northam, Pingelly, Swan, Three Springs, Toodyay, Victoria Plains, Wandering, West Arthur, Williams, York	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Eucalyptus albida White-leaved Mallee	<ul style="list-style-type: none"> Mallee or tree 2.5-5m h x 4-6m w Flw:white • Nov to Dec or Jan Sand,Gravel 	Bruce Rock, Coorow, Corrigin, Cuballing, Cunderdin, Dandaragan, Denmark, Dumbleyung, Jerramungup, Kent, Kondinin, Kulin, Lake Grace, Moora, Narrogin, Perenjori, Ravensthorpe, Tammin, Three Springs, Victoria Plains, Wagin, West Arthur, Wickopin, Williams, Yilgarn, York		
 Eucalyptus albopurpurea Port Lincoln Mallee, Purple flowered Mallee	<ul style="list-style-type: none"> Mallee 4-5m h x 4-8m w Flw:white,pink,mauve • Most of Year Coastal,Adaptable 	SA	<p>The only eucalyt with purple flowers Often planted a street tree, however the trunk may be wavy or crooked. Well suited for coastal areas close to high water tide mark or along edge of salt lakes. Can be periodically cut back to the lignotuber toat ground level to maintain a lower growing denser crown.</p>	
 Eucalyptus botryoides Southern Mahogany, Bangalay	<ul style="list-style-type: none"> tree 12-40m h x 10-25m w Flw:Cream • Dec Feb Coastal,Adaptable 	VIC, NSW	Tolerates Saline soils	
 Eucalyptus burracoppinensis Burracoppin Mallee	<ul style="list-style-type: none"> Mallee 1-6m h Flw:white-cream-yellow • Aug to Nov Sand,Gravel 	Bruce Rock, Coolgardie, Corrigin, Dalwallinu, Dowerin, Kellerberrin, Kondinin, Kulin, Merredin, Mount Marshall, Mukinbudin, Narembeen, Nungarin, Perenjori, Tammin, Trayning, Westonia, Wongan-Ballidu, Wyalkatchem, Yilgarn		
 Eucalyptus caesia ssp magna Silver Princess <i>Priority Four</i>	<ul style="list-style-type: none"> Mallee 3-10m h x 6m w Flw:pink red • May to Sep Loam,Gravel,Adaptable 	Bruce Rock, Kellerberrin, Kondinin, Kulin, Lake Grace, Merredin, Pingelly, Quairading, Trayning, Westonia, Wongan-Ballidu, Yilgarn	<p>Black Cockatoo : Good food source One of the best small eucalypts gowing in a gardens - open crown and non-competitive root system. Plants can be periodically cut back to the lignotuber to reinvigorate the tree.</p>	






Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eucalyptus camaldulensis River Red Gum	<ul style="list-style-type: none"> • Tree 5-20m h • Flw:white • Jul to Dec or Jan to Feb • Sand,Loam,Moist,Adaptable 	Ashburton, Carnamah, Derby-West Kimberley, East Pilbara, Gosnells, Murray, Northampton, Wiluna	Black Cockatoo : roosting tree The most widely distributed of all eucalypts. They occur almost throughout the mainland of Australia, except for the wet coastal fringe and the southern parts of South Australia and Western Australia. It is a characteristic tree of the water-courses of inland Australia although not restricted to them. Seeds of this species are reported to have been eaten by Aborigines, although it is not known how they were prepared.
	Eucalyptus campaspe Silver-topped Gimlet	<ul style="list-style-type: none"> • Mallee or tree 3-11m h x 8m w • Flw:white • Jan to Mar • Sand,Gravel,Clay 	Coolgardie, Dundas, Kalgoorlie-Boulder	
	Eucalyptus celastriodes	<ul style="list-style-type: none"> • mallee or tree 2-8m h • Flw:White • Aug to Jan • Sand,Clay 	Coolgardie, Dalwallinu, Kalgoorlie-Boulder, Kellerberrin, Yilgarn	
	Eucalyptus cinerea Argyle Apple	<ul style="list-style-type: none"> • Mallee 7-15m h x 5-10m w • Flw:Small white • Sand,Loam,Gravel,Clay 	NSW, VIC	
	Eucalyptus cladocalyx nana Bushy Sugar Gum	<ul style="list-style-type: none"> • Tree 8-15m h • Flw:Creamy-White • Summer • Adaptable 	SA	Tolerates saline soils
	Eucalyptus conferruminata Bushy Yate, Bald Island Marlock	<ul style="list-style-type: none"> • Mallee or tree 2-8m h • Flw:yellow-green • Aug to Nov • Sand,Loam,Coastal,Adaptable 	Albany, Esperance, Jerramungup, Ravensthorpe	Fast growing, oramental , shelter or screening tree with a dense spreading canopy.
	Eucalyptus cornuta Yate	<ul style="list-style-type: none"> • Tree (mallee. rarely) 2-25m h • Flw:yellow-green • Jan to May or Jul to Nov • Sand,Loam,Gravel,Moist 	Albany, Augusta-Margaret River, Busselton, Cranbrook, Denmark, Esperance, Gnowangerup, Jerramungup, Manjimup, Nannup, Plantagenet	


Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Eucalyptus crenulata Silver Gum, Buxton Gum	<ul style="list-style-type: none"> • Tree 4-15m h x 3-10m w • Flw:cream/white • spring • Sand,Loam,Clay 	Vic		
 Eucalyptus deflexa Lake King Mallee <i>Priority Four</i>	<ul style="list-style-type: none"> • Ornamental Mallee • Flw:Pink/cream-white • March or May • Sand,Loam,Gravel,Clay,Adaptable 	Dundas, Esperance, Kondinin, Lake Grace, Ravensthorpe	PRIORITY 4 Suitable for large containers. Low spreading crown.	
 Eucalyptus diversicolor Karri	<ul style="list-style-type: none"> • Tree 10-70m h x 12-16m w • Flw:White • May to Feb • Loam 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Busselton, Capel, Cranbrook, Denmark, Manjimup, Nannup, Plantagenet	Black Cockatoo : nesting tree	
 Eucalyptus doratoxylon	<ul style="list-style-type: none"> • Mallee with smooth powdery bark. 1.4-6m h • Flw:Flowers white-cream • Jan- Mar or May-Aug • Sand,Loam,Gravel 	Albany, Broomehill-Tambellup, Cranbrook, Denmark, Esperance, Gnowangerup, Kent, Plantagenet, Ravensthorpe		
 Eucalyptus erythrocorys Illyarrie,Red Cap Gum,	<ul style="list-style-type: none"> • Tree 4-9m h x 3-8m w • Flw:yellow red caps • Feb to Apr • Sand,Coastal 	Carnamah, Coorow, Dandaragan, Irwin, Northampton, Shark Bay, Three Springs		
 Eucalyptus eudesmioides Malallie	<ul style="list-style-type: none"> • Mallee, tree 2-8m h • Flw:white • Feb-May • Sand,Gravel 	Carnamah, Carnarvon, Chapman Valley, Coorow, Dalwallinu, Greater Geraldton, Mingenew, Moora, Morawa, Murchison, Northampton, Perenjori, Shark Bay, Three Springs, Victoria Plains, Wongan-Ballidu		
 Eucalyptus falcata Silver Mallet	<ul style="list-style-type: none"> • Mallee or marlock 6m h • Flw:white-cream • Aug to Dec or Jan to May • Sand,Gravel,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee		

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eucalyptus foecunda	<ul style="list-style-type: none"> • Mallee or tree (occasionally) 5m h • Flw:white-cream • Aug or Jan to Feb • Sand,Coastal 	Cambridge, Carnamah, Cranbrook, Dandaragan, East Fremantle, Fremantle, Gingin, Harvey, Irwin, Joondalup, Kulin, Kwinana, Mandurah, Northampton, Rockingham, Shark Bay, Vincent, Wanneroo, Waroona	
	Eucalyptus formanii <i>Priority Four</i>	<ul style="list-style-type: none"> • Tree 3-11m h • Flw:White • Dec - Apr • Sand 	Menzies, Yilgarn	
	Eucalyptus forrestiana sp forrestiana Fuschia Gum	<ul style="list-style-type: none"> • Mallee, Tree 1.5-6m h x 5m w • Flw:Yellow • Jan - Jun • Sand,Clay 	Esperance, Ravensthorpe	Ornamental or windbreak tree
	Eucalyptus gomphocephala Tuart	<ul style="list-style-type: none"> • Tree 10-40m h • Flw:white • Jan to Apr • Sand,Coastal,Moist,Adaptable 	Bunbury, Busselton, Cottesloe, Dandaragan, Dardanup, Fremantle, Gingin, Harvey, Joondalup, Kwinana, Mandurah, Murray, Rockingham, Serpentine-Jarrahdale, South Perth, Swan, Wanneroo, Waroona	Black Cockatoo : Good food , nesting and roosting tree
	Eucalyptus grandis Flooded Gum, Rose Gum	<ul style="list-style-type: none"> • Tree 20-45m h x 10-25m w • Flw:Cream • Apr to Aug • Adaptable 	NSW, QLD	Black Cockatoo : roosting tree
	Eucalyptus kochii ssp kochii	<ul style="list-style-type: none"> • Mallee or tree 3-7m h • Flw:white. • Oct • Sand,Loam,Gravel 	Carnamah, Coorow, Dalwallinu, Dowerin, Greater Geraldton, Koorda, Moora, Mount Marshall, Northampton, Perenjori, Three Springs, Wongan-Ballidu, Woodanilling, Yalgoo, Yilgarn	good shelter or windbreak
	Eucalyptus kondininensis Kondinin Blackbutt	<ul style="list-style-type: none"> • Tree (mallee. mallet) 4-20m h • Flw:white • Jul to Aug or Oct to Dec • Gravel,Clay,Moist 	Broomehill-Tambellup, Corrigin, Cunderdin, Dumblebung, Kent, Kondinin, Kulin, Lake Grace, Narembeen, Narrogin, Quairading, Ravensthorpe, Wickepin, Yilgarn	Saline areas or waterlogged





Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eucalyptus leucoxyloides Rosea	<ul style="list-style-type: none"> • Tree 10-20m h • Flw:red pink • Winter • Sand,Loam,Adaptable 	SA, VIC	
	Eucalyptus loxophleba ssp. Loxophleba	<ul style="list-style-type: none"> • Mallee or tree 15m h • Flw:white • Jul to Dec or Jan to Feb • Sand,Loam,Gravel,Clay 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Western Mallee	Black Cockatoo : food and nesting tree
	Eucalyptus macrandra Long-flowered Marlock	<ul style="list-style-type: none"> • Mallee or tree (rarely) 2-8m h • Flw:yellow-green • Nov to Dec or Jan to Apr • Sand,Loam,Gravel,Clay,Adaptable 	Albany, Cranbrook, Esperance, Gnowangerup, Jerramungup, Lake Grace, Narrogin, Plantagenet, Ravensthorpe, Wagin, Williams	
	Eucalyptus macrocarpa ssp. macrocarpa	<ul style="list-style-type: none"> • Spreading or sprawling mallee 1-5m h • Flw:red/white • Oct to Dec or Jan or Apr or Jun • Sand,Loam,Gravel 	Chittering, Coorow, Corrigin, Dalwallinu, Dandaragan, Kulin, Pingelly, Quairading, Toodyay, Victoria Plains, Wagin, Wongan-Ballidu, York	
	Eucalyptus nicholii Narrow-leaved Black Peppermint	<ul style="list-style-type: none"> • Tree 8-12m h x 6-10m w • Flw:White • Summer-Autumn • Sand,Loam,Gravel,Clay,Adaptable 	NSW	
	Eucalyptus occidentalis Swamp Yate, Flat-topped Yate	<ul style="list-style-type: none"> • Tree 4-20m h x 5-12m w • Flw:cream-white • Sep to Dec or Jan to May • Sand,Loam,Clay 	Albany, Broomehill-Tambellup, Cranbrook, Denmark, Dumbleyung, Dundas, Esperance, Gnowangerup, Jerramungup, Katanning, Kent, Kojonup, Lake Grace, Manjimup, Narrogin, Plantagenet, Ravensthorpe, Wagin, West Arthur, Woodanilling	Black Cockatoo : nesting tree
	Eucalyptus pleurocarpa Tallerack	<ul style="list-style-type: none"> • Mallee 4m h • Flw:White • Jan • Sand 	Albany, Carnamah, Coorow, Cranbrook, Dandaragan, Dundas, Esperance, Gnowangerup, Jerramungup, Kent, Kondinin, Lake Grace, Plantagenet, Ravensthorpe	Black Cockatoo : Good food source



Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eucalyptus polybractea	<ul style="list-style-type: none"> • Mallee 5-20m h • Flw:White • Mar June • Adaptable 	NSW, vic	Tolerates some salinity
	Eucalyptus preissiana Bell Fruited Mallee	<ul style="list-style-type: none"> • Sprawing mallee 3-5m h • Flw:Yellow • May - Nov • Sand,Gravel,Clay,Coastal 	Albany, Cranbrook, Gnowangerup, Jerramungup, Kent, Plantagenet	Black Cockatoo : Good food source
	Eucalyptus prominens	<ul style="list-style-type: none"> • Mallee 4m h x 3m w • Flw:White • August • Loam,Gravel,Coastal 	Carnarvon, Exmouth, Shark Bay.	
	Eucalyptus pulverulenta	<ul style="list-style-type: none"> • Tree 6-10m h x 2-5m w • Flw:yellow/white • spring summer • Adaptable 	NSW	
	Eucalyptus robusta Swamp Mahogany	<ul style="list-style-type: none"> • Tree 10-20m h x 8-15m w • Flw:White • Autumn • Sand,Coastal,Moist,Adaptable 	NSW, QLD	Black Cockatoo : Good food and roosting tree
	Eucalyptus rosacea Dark Pink/Red Form	<ul style="list-style-type: none"> • Mallee 1-4m h • Flw:cream pink red • Nov Feb • Sand 	Kalgoorlie-Boulder, Laverton, Menzies	
	Eucalyptus rudis Moitch	<ul style="list-style-type: none"> • Tree 5-20m h • Flw:white • Jul to Sep • Sand,Loam,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	Black Cockatoo : roosting tree







Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eucalyptus salmonophloia Salmon Gum <ul style="list-style-type: none"> • Tree 4-30m h • Flw:white-cream • Aug to Dec • Sand,Gravel,Clay 	Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Shield, Southern Cross, Western Mallee	Black Cockatoo : Very good food and nesting tree	
	Eucalyptus salubris Gimlet, Fluted Gum <ul style="list-style-type: none"> • Mallee or tree 4-15m h • Flw:white-cream • Sep to Mar • Sand,Loam,Gravel,Clay 	Avon Wheatbelt P1, Avon Wheatbelt P2, Central, Central band, Nullarbor Plain, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Fitzgerald, Geraldton Hills, Mardabilla, Northern band, Carlisle, Northern Jarrah Forest, Recherche, Shield, Southern Cross, Tallering, Western Mallee	Black Cockatoo : Good nesting	
	Eucalyptus sargentii Salt river gum <ul style="list-style-type: none"> • Mallee or tree 3-12m h • Flw:white/yellow-cream • Aug to Jan • Sand,Loam,Clay,Moist 	Bruce Rock, Kellerberrin, Merredin, Victoria Plains	Tolerates Saline soils	
	Eucalyptus sideroxylon Red Ironbark, Mugga <ul style="list-style-type: none"> • Tree 10-20m h x 10-20m w • Flw:red/pink • Winter • Loam,Coastal,Adaptable 	NSW, QLD	Tolerates saline soils and urban areas	
	Eucalyptus spathulata Swamp Mallet <ul style="list-style-type: none"> • Mallett 8m h • Flw:white • Sand,Clay,Adaptable 	Broomehill-Tambellup, Coolgardie, Corrigin, Cranbrook, Cunderdin, Dumbleyung, Gnowangerup, Katanning, Kent, Kondinin, Kulin, Lake Grace, Ravensthorpe, Tammin, West Arthur, Wickepin, Woodanilling	Tolerates Saline conditions	
	Eucalyptus stoatei Scarlet Pear Gum <i>Priority Four</i> <ul style="list-style-type: none"> • Slender tree 2-7.5m h • Flw:yellow • Jul to Feb • Loam,Gravel,Clay 	Esperance, Ravensthorpe		
	Eucalyptus stricklandii Yellow Flowered Blackbutt <ul style="list-style-type: none"> • Tree 4-11m h • Flw:Yellow • Nov - Mar • Gravel 	Coolgardie, Dundas, Kalgoorlie-Boulder, Menzies		

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Eucalyptus tottiana Coastal Blackbutt, Pricklybark	<ul style="list-style-type: none"> Mallee or tree 2-8m h x 5-10m w Flw:white/creamwhite-cream • Jan to Apr Sand,Gravel,Coastal 	Armadale, Bayswater, Belmont, Carnamah, Chittering, Cockburn, Coorow, Dandaragan, Gingin, Gosnells, Irwin, Kalamunda, Moora, Mundaring, South Perth, Serpentine Jarrahdale, Stirling, Swan, Three Springs, Victoria Plains, Wanneroo	Black Cockatoo : Good food source
	Eucalyptus torquata Coral Gum,Coolgardie Gum	<ul style="list-style-type: none"> Tree 8m h x 4m w Flw:pink-red • Aug to Dec Sand,Loam,Clay 	Coolgardie, Dundas, Kalgoorlie-Boulder	Good street tree or for urban block
	Eucalyptus utilis Formally Eucalyptus platypus	<ul style="list-style-type: none"> Spreading tree (mallee) 1.5-15m h Flw:cream/white • Sep to Dec or Jan Sand,Clay,Coastal,Moist,Adaptable 	Albany, Cockburn, Donnybrook-Balingup, Esperance, Gnowangerup, Jerramungup, Ravensthorpe, Wickepin	(Platypus var heterophylla)
	Eucalyptus victrix Western Coolabah	<ul style="list-style-type: none"> Spreading tree 1-12m h x 5-6m w Flw:white-cream • Nov or Jan to Mar Sand,Loam,Clay,Adaptable 	Ashburton, Broome, Carnarvon, Cue, East Pilbara, Exmouth, Halls Creek, Meekatharra, Mount Magnet, Murchison, Ngaanyatjarraku, Northampton, Port Hedland, Roebourne, Shark Bay, Upper Gascoyne, Wiluna, Yalgoo	Attractive small tree with a white trunk. Small lime green flowers in late summer which are insect and bird attracting.
	Eucalyptus websteriana	<ul style="list-style-type: none"> mallee 4m h Flw:yellow • Sep - Nov Fol:Heart shape grey gree Gravel 	Coolgardie, Dundas, Kalgoorlie-Boulder, Menzies, Mukinbudin, Westonia	Smooth red-brown bark shedding in longitudinal rolls. Erect compact with branches close to the ground
	Eucalyptus woodwardii Lemon-flowered Gum	<ul style="list-style-type: none"> Tree 6-15m h Flw:Bright yellow-green • Aug to Nov Sand 	Esperance, Kalgoorlie-Boulder	A very beautiful specimen tree. It is bird attracting , drought resistant and flowers well when young.
	Eucalyptus xerothermica	<ul style="list-style-type: none"> Mallee or tree 2-8m h Sand,Loam,Coastal 	Ashburton, Carnarvon, East Pilbara, Exmouth, Meekatharra, Roebourne, Upper Gascoyne	







Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Eutaxia myrtifolia Eggs and Bacon	<ul style="list-style-type: none"> Prostrate to erect shrub 2m h x 1-2m w Flw:orange-yellow/red • Feb to Dec Sand,Loam,Clay,Adaptable 	Albany, Augusta-Margaret River, Busselton, Denmark, Esperance, Gnowangerup, Jerramungup, Manjimup, Nannup, Plantagenet, Ravensthorpe	Formely Eutaxia obvata Formely Eutaxia obvata	
 Ficinia nodosa	<ul style="list-style-type: none"> perennial. Sedge 1m h x 0.8m w Flw:brown/cream • Oct to Dec or Jan Clay,Coastal,Moist 	Avon Wheatbelt P2, Eastern Mallee, Edel, Fitzgerald, Geraldton Hills, Hampton, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren	Tolerates wet and saline conditions	
 Gastrolobium celsianum Swan River Pea	<ul style="list-style-type: none"> Shrub 0.8m h x 0.5m w Flw:red • Aug to Nov Gravel,Shade,Moist,Adaptable 	Albany, Bassendean, Broomehill-Tambellup, Busselton, Esperance, Gingin, Gnowangerup, Harvey, Jerramungup, Kent, Kojonup, Ravensthorpe, Swan, Victoria Plains, Wagin, West Arthur, Woodanilling	GOOD ADDITION TO FLOWERBEDS. BIRD ATTRACTING. (prev. Brachysema lanceolatum)	
 Gastrolobium papilio <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> Tangled. clumped shrub 1.5m h Flw:cream-red • Oct to Dec Clay 	Busselton		
 Goodenia dyeri	<ul style="list-style-type: none"> Ground cover 0.2m h Flw:yellow • August to November Loam,Adaptable 	Dundas, Kalgoorlie-Boulder, Kondinin, Merredin, Narembeen, Wyalkatchem, Yilgarn.		
 Goodenia ovata Gold Cover	<ul style="list-style-type: none"> groundcover 0.1m h x 1.2m w Flw:yellow Shade,Sun,Adaptable 	Qld, NSW, Vic, ACT, SA, NT	Fast growers and responds well to hard pruning. It is a good container plant and a good 'filler'. It does not tolerated extended dry conditions very well and needs to be supplemented with summer waterings.	
 Goodenia varia Sticky Goodenia, Kalgoorlie Honey Due <i>Priority Two</i>	<ul style="list-style-type: none"> Prostrate shrub 0.1-0.6m h x 0.5-1.5m w Flw:yellow • Oct to Nov Sand,Coastal,Adaptable 	Dundas	HARDY GROUNDCOVER. CONTAINER PLANT. FRONT OF FLOWERBED PLANT.	


	Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Grevillea arenaria Nepean Spider Flower	<ul style="list-style-type: none"> Erect to Spreading 1.5-3m h x 2-3m w Flw:Pink, red or orange • All year. Fol:Grey/gree Sand 	Native to New South Wales.		
	Grevillea bedgoodiana	<ul style="list-style-type: none"> Dense ground cover 0.5m h x 0.5-2m w Flw:Orange/yellow • Winter and Spring Adaptable 			
	Grevillea bipinnatifida Fuchsia Grevillea	<ul style="list-style-type: none"> Spreading. lignotuberous shrub 0.3-1.5m h x 1-2. Flw:orange-red • Mar or May to Dec or Jan Sand,Loam,Gravel 	Canning, Dardanup, Gosnells, Harvey, Murray, Serpentine-Jarrahdale, Swan	Black Cockatoo : Good food source	
	Grevillea bipinnatifida x Clearview Robin	<ul style="list-style-type: none"> Spreading Shrub 0.6-1.5m h x 1-2.5m w Flw:Apricot • spring summer Adaptable 	Cultivar	Frost and Drought tolerant	
	Grevillea Bonnie Prince Charlie	<ul style="list-style-type: none"> Spreading shrub 0.5-1m h x 1-1.5m w Flw:Red and yellow • spring summer Adaptable 	CULTIVAR		
	Grevillea Bronze Rambler	<ul style="list-style-type: none"> Shrub 0.1-0.3m h x 3-5m w Flw:Red • most of year Adaptable 			
	Grevillea Coastal Glow G.barklyana x asplenifolia	<ul style="list-style-type: none"> Shrub 1.5-2.5m h x 1.5-2.5m w Flw:Red • Most of year Adaptable 	Eastern States Cultivar		

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Grevillea crithmifolia PROSTRATE form	<ul style="list-style-type: none"> Prostrate groundcover 0.75m h x 3m w Flw:white, pale pink • Aug to Nov Sand,Coastal,Shade,Sun,Adaptable 	Cambridge, Claremont, Cottesloe, Dandaragan, Fremantle, Gingin, Irwin, Joondalup, Mandurah, Mosman Park, Murray, Nedlands, Perth, Rockingham, Stirling, Waroona	A good dense groundcover for suppressing weeds. The masses of white flowers are very attractive to little birds.
	Grevillea crithmifolia semi prostrate form	<ul style="list-style-type: none"> Dense low growing 0.25-0.75m h x 2.5m w Flw:white/pale pink Sand,Coastal,Shade,Adaptable 	Cambridge, Claremont, Cottesloe, Dandaragan, Fremantle, Gingin, Irwin, Joondalup, Mandurah, Mosman Park, Murray, Nedlands, Perth, Rockingham, Stirling, Waroona	NEEDS SPACE TO GROW TO ITS FULL POTENTIAL. FRAGRANT WHITE FLOWERS IN SPRING. DENSE PLANT. This is a selected form which grows in a thick dense mat over an area of about 2-3 square metres. Masses of white scented flowers in spring.
	Grevillea curviloba	<ul style="list-style-type: none"> Prostrate to erect shrub 0.1-2.5m h Flw:white-cream • Aug to Oct Sand,Loam,Moist 	Chittering, Gingin	
	Grevillea dimorpha Flame grevillea	<ul style="list-style-type: none"> Shrub 1m h x 1m w Flw:red • June - Winter Adaptable 	Native to Victoria.	BIRD ATTRACTING. CONTAINER PLANT.
	Grevillea endlicheriana Spindly Grevillea	<ul style="list-style-type: none"> Shrub 2-4m h x 2-5m w Flw:white & pink/pink/red • Jul to Nov Sand,Loam,Gravel 	Armadale, Beverley, Chittering, Gingin, Gosnells, Kalamunda, Mundaring, Perth, Swan, Victoria Plains, Wongan-Ballidu	Excellent plant for using behind smaller shrubs as the long stems which hold the flowers sway in the breeze making it look like a swarm of insects
	Grevillea filliloba Ellendale Dragon	<ul style="list-style-type: none"> shrub 1.5m h x 1.5m w Flw:red • All Year Adaptable 	WA Commercial cultivar	A West Australian commercial cultivar which has masses of beautiful red flowers. Requires good drainage. An excellent bird attracting screen.
	Grevillea Forest Rambler	<ul style="list-style-type: none"> Shrub 0.3-1.5m h x 1.5-3.5m w Flw:pale pink • spring Adaptable 	Commercial Cultivar	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Grevillea Honey Gem	<ul style="list-style-type: none"> • Large shrub 4-6m h x 2-3m w • Flw:Orange • Most of the year • Sand,Loam,Clay,Adaptable 		
	Grevillea humifusa <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> • Prostrate shrub 0.1-0.3m h x 1.5-3m w • Flw:dark pink to red • Sep to Nov • Loam,Gravel 	Dandaragan	
	Grevillea John Evans	<ul style="list-style-type: none"> • Shrub 1.5m h x 2m w • Flw:red • winter pring • Adaptable 	Eastern States Cultivar.	
	Grevillea juniperina Molonglo	<ul style="list-style-type: none"> • low Spreading 0.2m h x 1m w • Flw:Apricot • Adaptable 	Eastern States cultivar	
	Grevillea lanigera Wooley Grevillea	<ul style="list-style-type: none"> • Groundcover 0.3m h x 2m w • Flw:Red cream • Spring • Shade,Sun,Adaptable 	Vic, NSW	
	Grevillea longistyla	<ul style="list-style-type: none"> • Large shrub 2-5m h x 2-4m w • Flw:Orange to Red • Late winter to early summe • Adaptable 		
	Grevillea Masons Hybrid Ned Kelly	<ul style="list-style-type: none"> • Dense spreading shrub. 2m h x 2m w • Flw:Orange/Red • All year Fol:Bright Green. • Adaptable 	Cultivar. Related to Grevillea Robyn Gordon.	<p>Good for a hedge or screen. Regular pruning will maintain shape and vigour. Bird and insect attracting.</p>

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Grevillea obtusifolia Gin Gin Gem	<ul style="list-style-type: none"> • Groundcover 0.25m h x 3-5m w • Flw:red • Winter • Adaptable 	WA Selected Form, Native to Armadale, Chittering, Gin Gin, Murray, Swan, Wanneroo	HARDY GROUNDCOVER. CONTAINER.	
 Grevillea olivacea RED <i>Priority Four</i>	<ul style="list-style-type: none"> • Erect. non-lignotuberous shrub 1-4.5m h • Flw:red/red-pink • Jun to Sep • Sand,Coastal,Adaptable 	Carnamah, Cockburn, Coorow, Dandaragan, Irwin	EXCELLENT TALL HEDGE PLANT. GOOD NEIGHBOUR HIDER. RESPONDS WELL TO PRUNING.	
 Grevillea pimeleoides <i>Priority Four</i>	<ul style="list-style-type: none"> • Non-lignotuberous shrub 0.4-2.4m h x 1-2.5m w • Flw:yellow-orange • May to Nov • Sand,Gravel,Shade 	Armadale, Beverley, Kalamunda, Mundaring, Northam, Serpentine-Jarrahdale, Swan, Wandering		
 Grevillea pinaster prostrate form	<ul style="list-style-type: none"> • Low spreading shrub. 0.5m h x 2m w • Flw:Red • Winter Fol:Grey/green. Dense • Sand,Coastal,Shade,Sun,Adaptable 	Carnamah, Chapman Valley, Coorow, Dalwallinu, Greater Geraldton, Morawa, Northampton. This is a selected prostrate form.	Grows wide so might require pruning to size and shape.	
 Grevillea preissii Sea Spray	<ul style="list-style-type: none"> • Spreading shrub 0.15-0.7m h x 1.2m w • Flw:red • Jul to Sep • Adaptable 	Carnamah, Coorow, Dandaragan, Greater Geraldton	Makes attractive low border. Bird attracting. Road verge planting.	
 Grevillea ripicola Collie Grevillea <i>Priority Four</i>	<ul style="list-style-type: none"> • Spreading shrub 0.6-2m h x 4m w • Flw:red/red-orange • Mar-Nov • Sand,Clay,Adaptable 	Bridgetown-Greenbushes, Collie, Donnybrook-Balingup		
 Grevillea rosmarinifolia Lutea Yellow Rosemary Grevillea	<ul style="list-style-type: none"> • Shrub 2-2.5m h x 2-2.5m w • Flw:yellow • Most of year • Adaptable 	Eastern States Cultivar		
 Grevillea saccata Pouched Grevillea <i>Priority Four</i>	<ul style="list-style-type: none"> • Diffuse shrub 0.25-0.5m h x 1-2m w • Flw:red • Apr or Jun to Nov • Sand,Gravel 	Dandaragan, Gingin		


Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Grevillea Scarlet Sprite	<ul style="list-style-type: none"> • Dense Shrub 1-2m h x 1-2m w • Flw:Red • Spring • Sand,Loam,Adaptable 	Eastern States Cultivar	Hardy, Bird attracting
	Grevillea sericea Mauve	<ul style="list-style-type: none"> • Shrub 1.5m h x 3m w • Flw:mauve • Most of year • Adaptable 		
	Grevillea stenomera Lace Net Grevillea	<ul style="list-style-type: none"> • Large shrub 1.5-2m h x 1.5-2m w • Flw:Orange • Late winter to early summer • Adaptable 		
	Grevillea Superb	<ul style="list-style-type: none"> • Large shrub 1.5-2m h x 1.5-2m w • Flw:Red/Pink/Orange • Most of the year • Sand,Loam,Clay,Adaptable 		
	Grevillea tenuiloba <i>Priority Three</i>	<ul style="list-style-type: none"> • Low spreading shrub 0.4-0.6m h x 3m w • Flw:orange-brown • Apr or Jul to Oct • Sand,Loam,Clay,Adaptable 	Dalwallinu, Greater Geraldton, Morawa, Wongan-Ballidu	
	Grevillea thelemanniana Narrow Leaf Form	<ul style="list-style-type: none"> • Low dense shrub 0.3-1.5m h • Flw:Pink-Red • May-Nov Fol:Green 	Western Australian selected form.	
		<ul style="list-style-type: none"> • Sand,Loam,Gravel,Clay,Coastal,Adaptable 		
	Grevillea thelemanniana subsp Cooljarloo	<ul style="list-style-type: none"> • Low dense shrub. • Flw:Red • May - Nov Fol:Green • Sand,Clay,Coastal,Moist,Adaptable 	Armadale, Canning, East Fremantle, Gosnells, Kalamunda, Wandering.	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Grevillea vestita Pink Flowers	<ul style="list-style-type: none"> Erect. spreading. prickly shrub 0.5-3m h x 3.5m w Flw:white-cream/pink • Jan to Nov Sand,Gravel,Coastal 	Cambridge, Carnamah, Greater Geraldton, Rockingham, Stirling	An attractive grevillea with masses of pink flowers. It used to be quite common in Kwinana and Baldivis. It is tough and very waterwise.	
 Grevillea x semperflorens	<ul style="list-style-type: none"> Shrub 2m h x 2m w Flw:yellow/pink • Most of Year Sand,Loam,Gravel 	Hybrid cross between Grevillea thelemanniana and Grevillea juniperina	Semper in Latin means 'always' and florens in Latin means 'flowering'.	
 Hakea bucculenta Red Pokers	<ul style="list-style-type: none"> Erect. non-lignotuberous shrub 1.2-4.5m h Flw:red • Aug to Sep Sand,Loam 	Chapman Valley, Gingin, Greater Geraldton, Northampton, Shark Bay	A wonderful bird attracting specimen shrub or fence screen. Flowers make a sweet drink.	
 Hakea Burrendong Beauty	<ul style="list-style-type: none"> Shrub 0.5-1m h x 2-3m w Flw:pink/white • Winter Adaptable 	This plant is a natural hybrid which was originally found in New South Wales.,	This is one of the most stunning plants to flower in late winter/spring. It has masses of beautiful pink and white flowers. It is extremely bird attracting and will survive the toughest conditions. A total must for an open spot in the garden. Flowers make a sweet drink.	
 Hakea ceratophylla	<ul style="list-style-type: none"> Erect to spreading. lignotuberous shrub 0.5-2m h Flw:brown-red • Sep to Dec Sand,Loam,Gravel,Moist 	Albany, Armadale, Augusta-Margaret River, Broomehill-Tambellup, Busselton, Canning, Collie, Cranbrook, Dardanup, Denmark, Donnybrook-Balingup, Gnowangerup, Gosnells, Kalamunda, Manjimup, Murray, Nannup, Plantagenet, Serpentine-Jarrahdale, Wandering, Waroona, West Arthur	Flowers make a sweet drink.	
 Hakea cinerea	<ul style="list-style-type: none"> Sturdy upright shrub. 0.7-2.5m h Flw:green-yellow • Aug-Sep Fol:Blue/grey & stiff Sand,Gravel 	Dundas, Esperance, Ravensthorpe	Flowers make a sweet drink. Named from the Latin 'cinereus' - ash grey, referring to foliage colour.	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Hakea corymbosa Cauliflower Hakea	<ul style="list-style-type: none"> Erect. non-lignotuberous shrub 0.5-2m h Flw:green-white/cream-yellow • May to Sep Sand,Gravel 	Albany, Broomehill-Tambellup, Cranbrook, Denmark, Dumblebung, Dundas, Esperance, Gnowangerup, Goomalling, Jerramungup, Kent, Kojonup, Kondinin, Kulin, Lake Grace, Plantagenet, Quairading, Ravensthorpe, West Arthur, Wickepin, Woodanilling	Flowers make a sweet drink.
	Hakea drupacea Sweet-Scented Hakea	<ul style="list-style-type: none"> Erect shrub 1-4m h Flw:white • Mar to Jun Sand,Loam,Gravel,Coastal 	Albany, Esperance, Ravensthorpe	Flowers make a sweet drink.
	Hakea kippistiana	<ul style="list-style-type: none"> Small tree 2-3m h Flw:White-cream-pink • Sept to Nov Sand,Clay,Adaptable 	Beverley, Bruce Rock, Coolgardie, Corrigin, Cranbrook, Cunderdin, Esperance, Kalgoorlie-Boulder, Kent, Kondinin, Merredin, Ngaanyatjarraku, Wyalkatchem, Yilgarn.	The spiky leaves are a good habitat for small birds.
	Hakea laurina Pincushion Hakea	<ul style="list-style-type: none"> Tree, Shrub 2.5-6m h x 3-6m w Flw:crimson rounded fragrant • Apr Aug Sand,Clay,Shade 	Albany, Broomehill-Tambellup, Dumblebung, Esperance, Gnowangerup, Jerramungup, Kalamunda, Kent, Kojonup, Lake Grace, Plantagenet, Ravensthorpe, Wagin, Waroona	Black Cockatoo : Good food source A fast growing, decorative shrub. It is useful for street, hedge, screening and windbreak planting. The flowers are rich in nectar and are a valuable source of food for honeyeaters. They also make a sweet drink when soaked in water.
	Hakea lissocarpha Honeybush	<ul style="list-style-type: none"> Erect to sprawling. pungent. Shrub 0.4-1.5m h Flw:white-cream/yellow/pink • May to Sep Sand,Loam,Gravel,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Black Cockatoo : Good food source A prolific winter flowering fragrant shrub. It forms a beautiful low impenetrable, fast growing hedge. Flowers also make a sweet drink when soaked in water.
	Hakea orthorrhyncha Bird Beak Hakea	<ul style="list-style-type: none"> Shrub 1-3m h x 2m w Flw:Bright Red. • May to September Fol:Green Sand,Loam,Gravel,Adaptable 	Northampton, Three Springs	





Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Hakea petiolaris Sea Urchin Hakea	<ul style="list-style-type: none"> Erect shrub or tree 2-9m h Flw: pink & cream • Mar to Jul Loam, Gravel, Adaptable 	Busselton, Dowerin, Goomalling, Kalamunda, Lake Grace	Black Cockatoo : Good food source An attractive off-season flowering shrub. Its beautiful silvery foliage makes it a lovely feature. It is suitable for coastal planting and forms a good screen. Flowers make a sweet drink when soaked in water.
	Hakea preissii Christmas Hakea	<ul style="list-style-type: none"> Erect shrub or tree 2-6m h Flw: yellow-green • Aug to Dec 	Avon Wheatbelt, Carnarvon, Coolgardie, Esperance Plains, Gascoyne, Geraldton Sandplains, Great Victoria Desert, Jarrah Forest, Mallee, Murchison, Pilbara, Swan Coastal Plain, Yalgoo	Black Cockatoo : Good food source
	Hakea trifurcata Two-leaf Hakea	<ul style="list-style-type: none"> Rounded or open shrub 1.5-3m h x 3.5m w Flw: white/cream-pink • Apr to Oct Sand, Loam, Gravel, Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee	Very hardy in most conditions Black Cockatoo : Good food source Flowers make a sweet drink.
	Hakea varia Variable-leaved Hakea	<ul style="list-style-type: none"> Erect or spreading shrub 1-4m h x 3m w Flw: white-cream/yellow • Jul to Nov Sand, Loam, Clay, Moist 	Avon Wheatbelt P2, Eastern Mallee, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Black Cockatoo : Good food source Flowers make a sweet drink.
	Hardenbergia comptoniana Native Wisteria	<ul style="list-style-type: none"> Twining shrub or climber 5m w Flw: blue-purple • Jul to Oct Sand, Coastal, Shade, Adaptable 	Dandaragan Plateau, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	
	Hardenbergia violacea Pink Form Native Lilac	<ul style="list-style-type: none"> Fast growing vine. Flw: Pink • Spring Fol: Dark Green Sand, Clay, Adaptable 	Native of the Eastern States from Queensland to Tasmania	Requires good drainage. Lives about 15 years.
	Hemiandra pungens Alba Snake Bush	<ul style="list-style-type: none"> Prostrate to ascending shrub 0.05-1m h Flw: white • Jan to Dec Sand, Loam, Gravel, Clay, Adaptable 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Hemiandra pungens PROSTRATE, GREEN	<ul style="list-style-type: none"> Groundcover 0.2m h x 1m w Flw:mauve • Spring Sand,Loam,Gravel,Clay,Coastal 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	Hardy attractive groundcover which small mauve trumpet flowers throughout summer with less flowering in autumn and spring.
	Hemiandra pungens Purplish leaves Snake Bush	<ul style="list-style-type: none"> groundcover 0.2m h x 1m w Flw:mauve • Jan to Dec Sand,Loam,Gravel,Clay,Coastal,Adaptable 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	Hardy attractive groundcover which small mauve trumpet flowers throughout summer with less flowering in autumn and spring. Leaves have a purple tinge.
	Hemiandra pungens Silver Surprise	<ul style="list-style-type: none"> Shrub 1.5m h Flw:Mauve • Jan - Dec Fol:Grey Sand,Loam,Gravel,Clay,Adaptable 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	
	Hibbertia cuneiformis Cutleaf Guinea Flower	<ul style="list-style-type: none"> Erect or sprawling shrub 1-1.5m h x 1.5m w Flw:yellow • Jan to Mar or Jun to Nov Sand,Loam,Coastal,Shade,Moist 	Albany, Augusta-Margaret River, Bunbury, Busselton, Capel, Cranbrook, Denmark, Donnybrook-Balingup, Esperance, Harvey, Jerramungup, Mandurah, Manjimup, Melville, Nannup, Nedlands, Ravensthorpe, Rockingham	A hardy shrub which is an excellent addition to any garden. It is adaptable with attractive bright yellow flowers.
	Hibbertia grossulariifolia Gooseberry-leaved Guinea Flwr	<ul style="list-style-type: none"> Prostrate shrub 1.2m w Flw:yellow • Aug to Dec Sand,Loam,Gravel,Coastal,Shade 	Albany, Augusta-Margaret River, Busselton, Denmark, Manjimup, Nannup	
	Hibbertia microphylla	<ul style="list-style-type: none"> Erect slender or multi-stemmed shrub 0.1-0.6m h Flw:yellow • Aug to Dec Sand,Gravel,Clay,Moist 	Albany, Boddington, Boyup Brook, Broomehill-Tambellup, Cranbrook, Cuballing, Denmark, Gnowangerup, Jerramungup, Kojonup, Lake Grace, Narrogin, Plantagenet, Ravensthorpe, Wagin, West Arthur, Wickepin, Williams, Woodanilling	
	Hibbertia obtusifolia	<ul style="list-style-type: none"> Small Shrub 0.5m h x 0.5m w Flw:yellow • Spring - Summer Sand,Loam,Gravel,Adaptable 	NSW, Vic, Tas	ROCKERIES. CONTAINER PLANT. HANGING BASKETS. LOW FLOWERBEDS.








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Hibbertia perfoliata	<ul style="list-style-type: none"> Prostrate shrub 0.2m h Flw:Bright yellow • Sept-Dec Fol:Variable Sand,Loam,Moist 	Albany, Armadale, Augusta-Margaret River, Bassendean, Bridgetown-Greenbushes, Busselton, Dardanup, Denmark, Kwinana, Manjimup, Mundaring, Murray, Nannup, Swan, Wandering, Wanneroo, Waroona.	Grows naturally in winter wet depressions. Best grown in an irrigated flowerbed or in a pot.	
 Hibbertia racemosa Grey Leaved Form	<ul style="list-style-type: none"> Erect or ascending. spreading shrub 0.1-0.5m h Flw:yellow • Aug- Sept Sand,Coastal 	Dandaragan Plateau, Eastern Mallee, Edel, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Wooramel	Small shrub with grey leaves and masses of little yellow flowers throughout winter and spring. Planted in clumps of three gives a good impact. Level 2	
 Hibbertia rupicola	<ul style="list-style-type: none"> Shrub 0.7m h Flw:Yellow. • Mar-April, Sep-Dec Fol:Green Sand,Gravel,Clay,Adaptable 	Avon Wheatbelt, Coolgardie, Esperance Plains, Geraldton Sandplains, Jarrah Forest, Mallee, Murchison.	Will grow in saling areas.	
Hibbertia scandens Snake Vine,Climbing Guinea Flower	<ul style="list-style-type: none"> Climber 2-5m h x 2-5m w Flw:yellow Coastal,Shade,Moist,Sun,Adaptable 	NSW, QLD	An extremely hardy and adaptable plant that can be trained up a fence or used as a ground cover. It is fast growing and salt tollerant.	
Hibbertia stellaris Orange Stars	<ul style="list-style-type: none"> Erect or prostrate. slender or bushy shrub 0.15-1 Flw:orange/orange-yellow/yellow • Aug to Dec Sand,Clay,Moist 	Avon Wheatbelt P2, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	MUST BE KEPT MOIST. AN EXCELLENT POT PLANT. FLOWERS ARE VERY BRIGHT.	
 Hibiscus tilaceous Rubra Cottonwood	<ul style="list-style-type: none"> Tree dense 6m h x 6m w Flw:Yellow • spring summer Fol:red Coastal,Moist,Adaptable 	NSW	Good screen tree	
 Hymenosporum flavum Native Frangipani	<ul style="list-style-type: none"> Small tree 8m h x 3-5m w Flw:cream ages to yellow Fol:Rich green Adaptable 	QLD, NSW	Will grow in shade but flowers best in full sun. Will be damaged by frost when young. Grows best in well drained soil with high organic content.	







Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Hypocalymma angustifolium Coconut Ice	<ul style="list-style-type: none"> • Shrub 1m h x 1.5m w • Flw:White-cream • Jun - Oct • Sand,Clay,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	
	Hypocalymma angustifolium red tipped form	<ul style="list-style-type: none"> • Shrub 1.5m h x 1.5m w • Flw:white-cream • Jun to Oct • Sand,Clay,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	
	Hypocalymma cordifolium	<ul style="list-style-type: none"> • Erect or decumbent shrub 0.2-2m h • Flw:white/pink • Sep to Feb • Sand,Loam,Gravel,Moist 	Albany, Manjimup	
	Hypocalymma tetrapterum <i>Priority Three</i>	<ul style="list-style-type: none"> • Shrub 0.4m h x 1m w • Flw:Masses of white flowers. • Winter/Spring • Shade,Adaptable 	Dandaragan, Irwin	SUITABLE FOR HEAVY SHADE. ATTRACTIVE ADDITION TO GARDEN BEDS.
	Isolepis cernua Nodding Club Rush	<ul style="list-style-type: none"> • Erect.rhizomatous sedge 0.3m h • Flw:green-brown • Jun to Dec or Jan to Feb • Sand,Gravel,Clay,Coastal,Moist 	Boyup Brook, Busselton, Esperance, Gingin, Jerramungup, Katanning, Kojoonup, Manjimup, Plantagenet, Wagin, Wanneroo, Waroona	TOLERATES SALINE SOILS WATER GARDENS BOG GARDENS. CONTAINER PLANT.
	Isopogon formosus Rose Cone-flower	<ul style="list-style-type: none"> • Shrub 0.2-2m h • Flw:pink-purple/red • Jun to Dec • Sand,Gravel,Moist 	Albany, Busselton, Cranbrook, Denmark, Esperance, Goomalling, Jerramungup, Nannup, Plantagenet	
	Jacksonia furcellata Grey Stinkwood	<ul style="list-style-type: none"> • Prostrate to decumbent or weeping erect shrub • Flw:yellow & orange/red • Oct to Dec or Jan to • Sand,Coastal,Shade,Moist 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Black Cockatoo : Good food source




Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 <p>Jacksonia sternbergiana Green Stinkwood</p>	<ul style="list-style-type: none"> • Erect. weeping shrub or tree 1.5-5m h • Flw:yellow-orange • Jan to Dec • Sand,Coastal 	<p>Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Western Mallee</p>		
 <p>Juncus subsecundus</p>	<ul style="list-style-type: none"> • Colonial perennial. Herb 0.3-1m h • Clay,Moist,Adaptable 	<p>Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Goldfield, Fitzgerald, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee</p>	<p>An attractive addition to flowerbeds.</p>	
 <p>Kennedia beckxiana <i>Priority Four</i></p>	<ul style="list-style-type: none"> • .Prostrate or twining shrub or climber 1m h • Flw:red • Sep to Dec • Sand,Loam,Gravel 	<p>Esperance</p>		
 <p>Kennedia coccinea Coral Vine</p>	<ul style="list-style-type: none"> • Twining or trailing shrub or climber • Flw:orange & pink/red & pink & purple • Aug to • Sand,Coastal 	<p>Eastern Mallee, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren</p>		
 <p>Kennedia eximia</p>	<ul style="list-style-type: none"> • groundcover mat forming 0.05m h x 1m w • Flw:Scarlet & yellow • June - Oct • Sand,Loam,Shade,Sun 	<p>Albany, Cranbrook, Esperance, Gnowangerup, Jerramungup, Kent, Lake Grace, Ravensthorpe</p>		
 <p>Kennedia prostrata Running Postman</p>	<ul style="list-style-type: none"> • Prostrate or twining shrub 0.05m h x 1-3m w • Flw:Scarlet • Apr to Nov • Sand,Loam,Gravel,Coastal,Shade 	<p>Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Edel, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee</p>	<p>The flowers can be sucked for their nectar and the leaves can be boiled to make a tea.</p>	
 <p>Kennedia rubicunda Dusky Coral Pea</p>	<ul style="list-style-type: none"> • Climbing plant 3m w • Flw:Red pea • Spring • Adaptable 	<p>VIC, NSW, QLD</p>		








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Kunzea baxteri Scarlet Kunzea, Crimson Kunzea	<ul style="list-style-type: none"> • Robust shrub 1-4m h x 3m w • Flw:red • Jul to Mar • Sand,Gravel 	Busselton, Esperance, Gnowangerup, Jerramungup, Murray, Ravensthorpe, Swan, Waroona	<p>An outstanding, fast growing feature plant or screen.</p> <p>An outstanding, fast growing feature plant or screen. Honeyeaters, parrots and insectivorous birds are attracted to the flowers and fruits. It produces a few flowers over several months.</p>
	Kunzea baxteri PINK FORM	<ul style="list-style-type: none"> • Shrub 1-2m h x 1.5m w • Flw:Pink • Winter Spring • Sand,Gravel 	Selected form, Red form is usually found in Busselton, Esperance, Gnowangerup, Jerramungup, Murray, Ravensthorpe, Swan, Waroona	
	Kunzea baxteri variegated	<ul style="list-style-type: none"> • Shrub 3m h x 3m w • Flw:Red • Spring Fol:Variegated • Sand,Gravel 	Selected form of Kunzea baxtreri which is native to: Busselton, Esperance, Gnowangerup, Jerramungup, Murray, Ravensthorpe, Swan, Waroona	
	Kunzea montana	<ul style="list-style-type: none"> • Shrub or small tree 1-5m h • Flw:Yellow/cream-yellow • Sept to Nov • Sand,Loam,Gravel 	Albany, Cranbrook, Gnowangerup	
	Kunzea pomifera Muntries	<ul style="list-style-type: none"> • Low shrub or ground cover, 2-3m w • Flw:creamy/white. • Spring and summer. • Adaptable 	SA, VIC	<p>Muntries bear fleshy, edible capsules which look, smell and taste like tiny apples. They can be eaten fresh, dried or frozen but are better stewed or made into jam. Chutney made from Muntries and Lemon Myrtle is tasty when served with cold meat or cold sausages.</p>
	Kunzea preissiana Glowing Kunzea	<ul style="list-style-type: none"> • Erect shrub. 0.5-1.2m h • Flw:Pink • Aug-Oct • Sand,Gravel 	Albany, Beverley, Boddington, Broomehill-Tambellup, Corrigin, Cranbrook, Cuballing, Dumbleyung, Esperance, Gnowangerup, Jerramungup, Katanning, Kent, Kojonup, Kulin, Lake Grace, Narrogin, Plantagenet, Quairading, Ravensthorpe, Wagin, Wandering, West Arthur, Wickepin, Williams, Woodanilling, York.	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	<ul style="list-style-type: none"> Erect or ascending shrub 0.3-2m h Flw: pink/purple-red • Aug to Dec Gravel, Moist, Adaptable 	Avon Wheatbelt P2, Fitzgerald, Geraldton Hills, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren, Western Mallee	Hardy ornamental windbreak	
	<ul style="list-style-type: none"> Dense shrub. 0.3-1.5m h x 1-2.5m w Flw: Pink • Aug-Oct Fol: Rusty new growth. Sand 	New South Wales, Victoria & South Australia	Low Windbreak. Dried flowers long lasting. Good for cut flowers. Needs good drainage.	
	<ul style="list-style-type: none"> Small shrub, good drainage. 0.5m h x 0.5m w Flw: Bright blue. • Spring. Sand, Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee	Excellent pot plant.	
	<ul style="list-style-type: none"> Low Shrub 0.3-0.5m h x 0.5m w Flw: Bright Blue • Spring Fol: Green Sand, Gravel 	Common throughout the South West of WA and in areas of the wheatbelt.	ATTRACTIVE POT PLANT. There are a variety of flowering forms of Lechenaultia biloba. This is one selected form.	
	<ul style="list-style-type: none"> Prostrate shrub 0.15-0.6m h x 0.9m w Flw: blue-purple/blue-white • Oct to Jan Sand, Moist 	Albany, Armadale, Augusta-Margaret River, Bridgetown-Greenbushes, Bunbury, Busselton, Canning, Chittering, Cockburn, Collie, Denmark, Donnybrook-Balingup, Gosnells, Harvey, Kulin, Manjimup, Mundaring, Murray, Nannup, Plantagenet, Serpentine-Jarrahdale, Swan, Wandering, West Arthur		
	<ul style="list-style-type: none"> Flw: Red • March - August Fol: Green Adaptable 	Found in many areas and displaying different flower colours in Southwest of WA.	Should be regarded as a annual/bi-annual and appreciates summer waterings over extended dry periods. Good container plant and also for hanging baskets.	An arid plant so don't overwater and give it plenty of sunshine.
	<ul style="list-style-type: none"> shrub 0.4m h x 0.4m w Flw: orange • may-nov Sand, Gravel, Clay, Adaptable 	Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Mallee, Fitzgerald, Lesueur Sandplain, Northern Jarrah Forest, Recherche, Southern Cross, Southern Jarrah Forest, Western Mallee		








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	<ul style="list-style-type: none"> • Low shrub. 0.3m h x 0.3m w • Flw:small scarlet • Autumn - Spring Fol:Green • Adaptable 	Native to Western Australia but a selected form.	This plant has a limited life span but still a beautiful addition to a small garden. Very attractive when grown in pots.	
	<ul style="list-style-type: none"> • Trailing shrub 0.3m h x 0.5m w • Flw:mauve • Spring • Sand,Loam,Gravel,Adaptable 			
	<ul style="list-style-type: none"> • Shrub 1m h x 1m w • Flw:White • Spring • Sand,Coastal,Adaptable 	Eastern States Selected Form	Good container or ornamental plant. New growth bronze with red stems. Frost and Shade tolerant	
	<ul style="list-style-type: none"> • Shrub 1-3m h • Flw:white-pink • Jul to Nov • Sand,Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Eastern Mallee, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Mardabilla, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Tallering, Warren, Western Mallee	Dip flowers in water to make a sweet drink.	
	<ul style="list-style-type: none"> • Small shrub. 1-1.5m h x 0.8-1m w • Flw:Purple • Spring Fol:Dense • Sand,Loam,Clay,Coastal,Adaptable 	Cultivar from NSW	TOPIARY FEATURE PLANT LOW WINDBREAK FAST GROWING HONEY PRODUCTION POT PLANT	
	<ul style="list-style-type: none"> • Shrub 0.5-3m h • Flw:pink • May to Oct • Sand,Adaptable 	Esperance	An excellent long flowering shrub which can be used as a feature or planted to form a screen. It has grey-green silky leaves with pale to deep pink flowers in spring. This shrub is very hardy, it needs good drainage and no irrigation in summer.	
	<ul style="list-style-type: none"> • Erect. compact shrub 0.4-1m h x 0.5-1.5m w • Flw:yellow • Dec or Jan to Feb • Sand,Clay,Coastal 	Albany, Augusta-Margaret River, Bunbury, Busselton, Cambridge, Cockburn, Cottesloe, Denmark, Esperance, Fremantle, Jerramungup, Mandurah, Manjimup, Nannup, Ravensthorpe, Rockingham, Wanneroo	Creates a beautiful foliage contrast in a garden of dark green leaves. It is salt tolerant and grows well in a pot.	



Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Leucophyta brownii Canal Rocks	<ul style="list-style-type: none"> Shrub 0.4-1m h x 0.5-1.5m w Flw:Yellow • Spring Summer Sand,Coastal 	Albany, Augusta-Margaret River, Bunbury, Busselton, Cambridge, Cockburn, Cottesloe, Denmark, Esperance, Fremantle, Jerramungup, Mandurah, Manjimup, Nannup, Ravensthorpe, Rockingham, Wanneroo	An attractive compact shrub with silvery slender branches with tiny grey leavers pressed tightly against them. The whole bush has a lovely silver sheen. Grows well in coastal sands and is salt tolerant.
	Lophostemon confertus Queensland Brush Box	<ul style="list-style-type: none"> Tree 10-15m h x 5-8m w Flw:White Adaptable 	Queensland	
	Macropidia fuliginosa Black Kangaroo Paw	<ul style="list-style-type: none"> Rhizomatous, perennial herb. 0.2-1.8m h Flw:Green and Black • Aug - Dec. Sand,Gravel 	Carnamah, Chittering, Dandaragan, Gin Gin, Irwin, Swan, Three Springs, Victoria Plains, Wanneroo	Good container plant. Grows in partial shade.
	Macrozamia riedlei Cycad	<ul style="list-style-type: none"> Tree (cycad) 0.5-3m h Fol:Trunkless, palm like. Sand,Gravel,Coastal,Sun,Adaptable 	Fitzgerald, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	LONG LASTING CONTAINER PLANT. GOOD GARDEN FEATURE PLANT. BUSH TUCKER.
	Melaleuca cardiophylla Umbrella Bush	<ul style="list-style-type: none"> .Erect to spreading shrub 0.4-2m h x 3m w Flw:white-cream • Aug to Dec or Jan Sand,Gravel,Coastal 	Ashburton, Cambridge, Carnamah, Carnarvon, Coorow, Dandaragan, Exmouth, Gingin, Greater Geraldton, Irwin, Joondalup, Northampton, Shark Bay, Wanneroo	
	Melaleuca coccinea Goldfields Bottlebrush <i>Priority Three</i>	<ul style="list-style-type: none"> Shrub 1.5-2.6m h Flw:Red • Sep - Jan Sand,Loam,Gravel 	Coolgardie, Dundas, Kalgoorlie-Boulder, Ravensthorpe	
	Melaleuca cuticularis Salterwater paperbark	<ul style="list-style-type: none"> Tree or shrub 1-7m h Flw:white-cream • Aug to Nov Sand,Loam,Clay,Coastal,Moist 	Avon Wheatbelt P2, Eastern Mallee, Fitzgerald, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Tolerates saline conditions








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Melaleuca densa	<ul style="list-style-type: none"> • Pendulous shrub 0.4-3m h x 2m w • Flw:cream-yellow • Oct to Nov • Sand,Clay,Moist 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Busselton, Cranbrook, Denmark, Gnowangerup, Harvey, Jerramungup, Kojonup, Lake Grace, Manjimup, Plantagenet, West Arthur	
	Melaleuca filifolia	<ul style="list-style-type: none"> • Shrub 0.6-0.7m h • Flw:pink-purple • Aug to Oct • Sand,Loam,Gravel 	Chapman Valley, Greater Geraldton, Northampton	
	Melaleuca fulgens Cerise Colour Form	<ul style="list-style-type: none"> • Shrub 1-3m h x 1-2m w • Flw:Cerise • Spring • Sand,Loam,Gravel 	Coolgardie, Dalwallinu, Dowerin, Esperance, Kalgoorlie-Boulder, Kellerberrin, Mundaring, Perenjori, Pingelly, Wongan-Ballidu	
	Melaleuca fulgens salmon	<ul style="list-style-type: none"> • Shrub 1-3m h x 1-2m w • Flw:Salmon • Spring • Sand,Loam,Gravel 	Coolgardie, Dalwallinu, Dowerin, Esperance, Kalgoorlie-Boulder, Kellerberrin, Mundaring, Perenjori, Pingelly, Wongan-Ballidu	
	Melaleuca incana Grey Honey-myrtle	<ul style="list-style-type: none"> • Shrub or tree 0.4-3m h x 2m w • Flw:white-cream-yellow • May to Nov • Sand,Clay,Moist 	Albany, Augusta-Margaret River, Boyup Brook, Bridgetown-Greenbushes, Busselton, Capel, Collie, Denmark, Harvey, Manjimup, Mundaring, Murray, Nannup, Rockingham, West Arthur	
	Melaleuca incana Nana Dwarf Grey Honey Myrtle	<ul style="list-style-type: none"> • Shrub 0.6m h x 1m w • Flw:small yellow • Spring • Sand,Loam,Clay,Moist 	Avon Wheatbelt P2, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	
	Melaleuca laterita Robin Redbreast Bush	<ul style="list-style-type: none"> • Shrub 1-2.5m h x 1-2m w • Flw:red - orange bottlebrush • Sep - Apr • Sand,Loam,Clay,Moist 	Dandaragan Plateau, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Melaleuca megacephala Gold Nugget	<ul style="list-style-type: none"> Erect shrub 0.5-3m h Flw:yellow-cream • Aug to Oct or Dec Sand,Gravel 	Chapman Valley, Greater Geraldton, Irwin, Northampton, Shark Bay	Very attractive in floral arrangements.
	Melaleuca nesophila Showy Honey-myrtle or Pink Melaleuca	<ul style="list-style-type: none"> Shrub 3-5m h x 3-5m w Flw:pink-purple • Sep to Jan Sand,Adaptable 	Esperance, Jerramungup, Ravensthorpe	HARDY SCREENING PLANT. GOOD HEDGING PLANT. LONG STEM PLANT FOR BEST RESULTS.
	Melaleuca nesophila Little Nessie	<ul style="list-style-type: none"> Shrub 1.2m h x 1m w Flw:Pink-Purple • Sep to Jan Adaptable 	Esperance, Jerramungup, Ravensthorpe	A selected small form which grows dense. Makes a good hedge. It has pinkish-mauve pom-pom flowers which appear late spring to early summer.
	Melaleuca pentagona var latifolia	<ul style="list-style-type: none"> Shrub 0.3-1.2m h Flw:Pink • Oct - Nov Adaptable 	Dundas, Esperance, Jerramungup, Ravensthorpe	
	Melaleuca preissiana	<ul style="list-style-type: none"> Shrub or tree 2-9m h Flw:yellow-cream-white • Nov to Feb Sand,Moist 	Avon Wheatbelt P2, Dandaragan Plateau, Eastern Mallee, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	
	Melaleuca quinquinervia Broad Leaf paperbark	<ul style="list-style-type: none"> Tree 10-20m h Flw:red Sand,Loam,Gravel,Clay 	NSW, Qld	The leaves make an aromatic lemon-flavoured tasty tea. The flowers can be dipped in water to make a sweet drink.
	Melaleuca radula Graceful Honey-myrtle	<ul style="list-style-type: none"> Shrub 0.3-2.4m h x 2m w Flw:pink-purple/white • Jul to Nov Sand,Gravel 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Eastern Goldfield, Eastern Murchison, Edel, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Cross, Tallering, Western Mallee	






Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Melaleuca raphiophylla Swamp Paperbark	<ul style="list-style-type: none"> • Tree or shrub 0.2-10m h • Flw:white-cream • Jul or Sep to Dec or Jan • Sand,Clay,Coastal,Moist,Adaptable 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	Salt tolerant	
 Melaleuca scabra Rough Honey-myrtle	<ul style="list-style-type: none"> • Shrub 0.2-1.5m h x 1m w • Flw:pink-red-purple • Jan or Apr or Aug to Dec • Sand,Clay,Adaptable 	Esperance, Northampton, Ravensthorpe, Shark Bay		
 Melaleuca spathulata	<ul style="list-style-type: none"> • Erect shrub 0.2-2m h • Flw:pink-purple-red. • Sep to Dec • Sand,Gravel,Clay,Moist 	Albany, Boyup Brook, Bridgetown-Greenbushes, Broomehill-Tambellup, Cranbrook, Denmark, Gnowangerup, Jerramungup, Kojonup, Lake Grace, Manjimup, Plantagenet, West Arthur		
 Melaleuca viminea	<ul style="list-style-type: none"> • Shrub or tree 0.6-5m h • Flw:white-cream • Jul to Nov • Sand,Clay,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Mallee, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Mallee		
 Melaleuca violacea	<ul style="list-style-type: none"> • Straggly shrub 0.1-1m h • Flw:purple • Jul or Oct to Nov • Sand,Gravel,Clay,Coastal 	Albany, Boyup Brook, Bridgetown-Greenbushes, Cranbrook, Denmark, Gnowangerup, Jerramungup, Kojonup, Manjimup, Plantagenet, Ravensthorpe	A very attractive edging, small garden or rockery plant. Grows well in a pot in a courtyard or patio.	
 Myoporum parvifolium FINE LEAF form	<ul style="list-style-type: none"> • Groundcover 1.5-4m w • Flw:white • Shade,Adaptable 		Fast growing	
 Myoporum parvifolium pink form	<ul style="list-style-type: none"> • Groundcover 0.2m h x 1.5-5m w • Flw:Pink • Spring Summer • Shade,Adaptable 	Eastern States		








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Myoporum parvifolium purpurea Purple leaf form	<ul style="list-style-type: none"> • Groundcover 0.1m h x 2-4m w • Flw:white • Spring Summer • Shade,Adaptable 	New South Wales, Victoria & South Australia	
	Olearia axillaris Coast Daisy Bush	<ul style="list-style-type: none"> • Erect. much-branched shrub 0.5-3m h • Flw:white-cream-yellow • Jan to Dec • Sand,Loam,Gravel,Coastal 	Avon Wheatbelt P2, Edel, Fitzgerald, Geraldton Hills, Hampton, Lesueur Sandplain, Mardabilla, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Warren, Western Murchison, Wooramel	
	Olearia phlogopappa White Hybrid Olearia	<ul style="list-style-type: none"> • Shrub 2m h x 2m w • Flw:White • Adaptable 	Tas, Vic	
	Orthrosanthus multiflorus	<ul style="list-style-type: none"> • grass like 0.6m h • Flw:Purple-Blue • Spring-Summer • Sand,Loam,Clay,Moist,Adaptable 	Albany, Cranbrook, Donnybrook-Balingup, Esperance, Gnowangerup, Manjimup, Nannup, Plantagenet	
	Pandorea jasminoides	<ul style="list-style-type: none"> • climber 3-4m h x 3-4m w • Flw:pink trumpet • Shade,Sun,Adaptable 	New South Wales & Queensland	CONTAINER PLANT. FAST GROWING. RAINFOREST PLANT.
	Pandorea Jasminoides variegated	<ul style="list-style-type: none"> • Climber 3-4m h x 3-4m w • Flw:Pink Fol:Variegated. • Shade,Sun,Adaptable 	ORIGIN: Queensland and New South Wales.	FAST GROWING. RAINFOREST PLANT.
	Patersonia occidentalis Long Purple Flag	<ul style="list-style-type: none"> • Rhizomatous. tufted perennial. Herb 1.5m h • Flw:purple • Aug to Jan • Sand,Loam,Clay,Coastal,Moist,Adaptable 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Edel, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Recherche, Southern Jarrah Forest, Warren, Western Mallee	A long - flowering species that makes an excellent addition to the rockery or as a container plant.

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Petrophile longifolia	<ul style="list-style-type: none"> • Prostrate. non-lignotuberous shrub 0.15-0.5m h • Flw:yellow-cream-white/cream-pink • Jul to Ma • Sand,Loam,Gravel,Clay 	Albany, Cranbrook, Gnowangerup, Kojonup, Plantagenet	
	Phebalium squamulosum	<ul style="list-style-type: none"> • Low shrub 1m h x 1m w • Flw:Bright yellow • Oct-Nov Fol:Glossy dark gree • Sand,Loam 	New South Wales	
	Phymatocarpus maxwellii	<ul style="list-style-type: none"> • Erect to spreading shrub. 0.3-2.5m h x 2.5m w • Flw:Pink/purple • Aug-Nov. • Sand 	Esperance, Gnowangerup, Jerramungup, Ravensthorpe	
	Pimelea ciliata White Banjine	<ul style="list-style-type: none"> • Erect shrub 0.3-1m h • Flw:white/pink • Aug to Dec • Sand,Loam,Gravel,Clay 	Mundaring, Plantagenet	
	Poa labardierii Tussock Grass	<ul style="list-style-type: none"> • Grass 0.3-1m h x 0.3-0.7m w • Flw:Cream brown • spring summer • Sand,Loam,Clay 	Native to Victoria	A hardy grass that is tolerant of a wide range of conditions. To be at its best it should be cut back every year or two.
	Prostanthera baxteri var. sericea	<ul style="list-style-type: none"> • Erect or spreading shrub. 0.3-0.5m h • Flw:lilac • Spring • Sand,Gravel,Adaptable 	Cranbrook, Esperance, Lake Grace, Ravensthorpe.	
	Regelia ciliata	<ul style="list-style-type: none"> • Erect shrub 0.8-2m h • Flw:pink-purple • Jan to Dec (mainly 11-2) • Sand,Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest	VERY WATERWISE. PRUNE TO KEEP DENSE. LONG FLOWERING TIME.
	Regelia inops	<ul style="list-style-type: none"> • Erect. often spreading shrub 0.75-2.5m h • Flw:pink-purple-blue • Jan to Dec • Sand,Moist 	Avon Wheatbelt P2, Fitzgerald, Northern Jarrah Forest, Perth, Recherche, Southern Cross, Southern Jarrah Forest, Western Mallee	








Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	<ul style="list-style-type: none"> • Spreading shrub. 0.6-2m h x 1m w • Flw:Green-yellow-white • April-June • Sand,Loam,Clay,Coastal 	Avon Wheatbelt P1, Avon Wheatbelt P2, Eastern Goldfield, Eastern Mallee, Eastern Murchison, Edel, Fitzgerald, Geraldton Hills, Hampton, Lesueur Sandplain, Mardabilla, Perth, Recherche, Shield, Southern Cross, Tallering, Western Mallee, Western Murchison, Wooramel		
	<ul style="list-style-type: none"> • Erect shrub 0.5-3m h • Flw:white • Sep to Oct • Sand,Coastal 	Beverley, Bruce Rock, Busselton, Kellerberrin, Nannup, Quairading		
	<ul style="list-style-type: none"> • Dense groundcover • Flw:Masses small mauve flowers. • Nearly all ye • Sand,Loam,Gravel 			
	<ul style="list-style-type: none"> • .Ascending to decumbent perennial. Herb 0.5m h • Flw:blue/white • Aug to Dec or Jan to Mar • Adaptable 	Esperance		
	<ul style="list-style-type: none"> • Prostrate to ascending perennial. Herb 0.1-0.4m • Flw:blue-purple • Sep to Dec or Jan • Sand,Gravel 	Fitzgerald, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	GROW IN A WELL DRAINED SOIL. PRUNE BACK AFTER FLOWERING TO MAINTAIN VIGOUR. CONTAINER PLANT.	
	<ul style="list-style-type: none"> • Ground cover 0.3m h • Flw:Blue spikes • Aug-Oct • Sand,Coastal 		Hazels Selection - Level 1	
	<ul style="list-style-type: none"> • Shrub 0.2-1.5m h • Flw:Blue/White • Winter - Spring. Fol:Large, brig • Clay,Coastal,Moist 	Chapman Valley, Greater Geraldton, Northampton.		




Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Scaevola pulvinaris	<ul style="list-style-type: none"> Prostrate shrub Flw:White • Spring Fol:Green. Sand,Clay,Moist 	Cranbrook, Gnowangerup, Jerramungup, Katanning, Kent, Kojonup, Lake Grace, Plantagenet, Ravensthorpe, Wagin, West Arthur		
 Schoenoplectus validus River Club-rush	<ul style="list-style-type: none"> Rhizomatous. robust perennial. grass-like or herb Flw:brown • Oct to Dec or Jan to Feb Coastal,Moist 	Augusta-Margaret River, Bayswater, Bridgetown-Greenbushes, Busselton, Canning, Gingin, Joondalup, Murray, Perth, Rockingham, Stirling, Swan, Wanneroo		
 Senna pleurocarpa var. pleurocarpa	<ul style="list-style-type: none"> Erect. spreading shrub 0.4-1.5m h Flw:yellow • Jul to Oct Sand,Loam,Gravel 	Ashburton, Bruce Rock, Carnarvon, Coolgardie, Dundas, Esperance, Kalgoorlie-Boulder, Koorda, Laverton, Meekatharra, Menzies, Morawa, Ngaanyatjarraku, Northampton, Nungarin, Shark Bay, Tammin, Upper Gascoyne, Wiluna, Yilgarn		
 Stylidium adnatum Common Beaked Trigger Plant	<ul style="list-style-type: none"> Erect perennial. Herb 0.05-0.3m h Flw:pink-white • Nov to Dec Sand 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Busselton, Denmark, Donnybrook-Balingup, Esperance, Gnowangerup, Harvey, Jerramungup, Manjimup, Nannup, Plantagenet, Ravensthorpe		
 Stylidium Palgarup Trigger	<ul style="list-style-type: none"> Hardy & Compact. 0.5-1m h x 0.5-1m w Flw:Cream/pink. • Spring. Fol:Dark Green. Sand,Coastal,Sun 	Coastal heathlands of the Southwest of WA	Responds well to pruning. Originates from Coastal Heathlands of SW.	
 Syzygium australe Happy Hedge Scrub Cherry, Creek Lillypilly	<ul style="list-style-type: none"> Small bush tree 3m h x 1.5m w Flw:pink/white • Winter Adaptable 	QLD,NSW	This shrub can bear an abundance of bright pink or red palatable fruit, generally longer than broad and up to 2.3 cm long. The rounded seed is easily removed and can be eaten raw and the tart pulp can be used to make an excellent jam.	
 Taxandria linearifolia (Agonis linearifolia)	<ul style="list-style-type: none"> Small tree/shrub 1-5m h Flw:White • Mar - Dec Sand,Loam,Gravel,Clay,Moist 	Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	Useful screen or windbreak	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 <p>Templetonia retusa Cockies Tongue</p>	<ul style="list-style-type: none"> • Much-branched shrub 0.3-4m h • Flw:red/white-yellow • Apr to Nov • Sand,Gravel,Clay,Coastal,Shade 	<p>Central band, Nullarbor Plain, Dandaragan Plateau, Eastern Mallee, Edel, Fitzgerald, Geraldton Hills, Hampton, Lesueur Sandplain, Mardabilla, Perth, Recherche, Southern Jarrah Forest, Warren</p>	<p>Bird attracting, salt-tolerant, prefers a sunny well drained position. It can be grown in an exposed seaside garden and will withstand periods of dryness.</p> <p>It contains alkaloids, and these are likely harmful, but depending on concentration. Reference: Cannon JR, Williams JR, Arbain D, Brossi A, Blount JF, Raston CL, Skelton BW and White AH 1991 Alkaloids of Templetonia retusa. chemistry, structure and absolute configuration of (-)-templetine. Aust. J. Chem. 44:509-523.</p> <p>Anthocercis species, being Solanaceae, also contain alkaloids, and are definitely poisonous.</p> <p>As a rule, if some plants in WA look palatable and attractive to munch, they are likely poisonous.</p>	
 <p>Themeda triandra australis Kangaroo Grass</p>	<ul style="list-style-type: none"> • Tufted perennial. grass-like or herb 0.3-2m h • Flw:red-brown/purple • Jan to Dec • Adaptable 	<p>Avon Wheatbelt, Carnarvon, Central Kimberley, Central Ranges, Coolgardie, Esperance Plains, Gascoyne, Geraldton Sandplains, Gibson Desert, Great Sandy Desert, Great Victoria Desert, Hampton, Jarrah Forest, Little Sandy Desert, Murchison, Northern Kimberley, Ord Victoria Plain, Pilbara, Swan Coastal Plain, Victoria Bonaparte, Warren</p>	<p>EDIBLE SEEDS. ATTRACTIVE ADDITION TO FLOWERBEDS.</p>	
 <p>Thomasia angustifolia</p>	<ul style="list-style-type: none"> • Shrub 0.1-0.7m h • Flw:pink-blue-purple • Aug to Nov • Sand,Loam,Gravel,Moist 	<p>Albany, Augusta-Margaret River, Broomehill-Tambellup, Cranbrook, Esperance, Gnowangerup, Jerramungup, Kojonup, Kulin, Lake Grace, Plantagenet, Ravensthorpe</p>		
 <p>Thomasia foliosa</p>	<ul style="list-style-type: none"> • Multi-stemmed shrub. • Flw:White/pink-purple. • May - Nov. • Gravel,Adaptable 			
 <p>Thomasia solanacea <i>Priority Four</i></p>	<ul style="list-style-type: none"> • Erect shrub 0.5-3m h • Flw:blue-purple-pink • Sep to Dec • Sand,Loam,Coastal 	<p>Albany, Denmark, Gnowangerup, Jerramungup</p>		

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Thryptomene baeckeacea	<ul style="list-style-type: none"> • Spreading shrub 0.2-1.2m h x 2m w • Flw: pink/pink-purple/white • May to Oct • Sand, Coastal 	Carnarvon, Chapman Valley, Coorow, Dandaragan, Exmouth, Greater Geraldton, Northam, Northampton, Quairading, Shark Bay		
 Thryptomene hyporhytis	<ul style="list-style-type: none"> • Spreading shrub 0.2-0.7m h • Flw: pink-white • Jun to Oct • Sand, Gravel, Clay 	Carnamah, Coorow, Dalwallinu, Dandaragan, Gingin, Greater Geraldton, Irwin, Mingenew, Morawa, Three Springs, Yalgoo		
 Thryptomene saxicola alba white form	<ul style="list-style-type: none"> • Sand, Loam, Gravel 	Albany, Augusta-Margaret River, Busselton, Cranbrook, Donnybrook-Balingup, Esperance, Jerramungup, Manjimup, Nannup, Plantagenet, Three Springs		
 Thryptomene striata <i>Priority Two</i>	<ul style="list-style-type: none"> • Compact Shrub 1m h • Flw: Pink/purple • Sep • Sand, Loam 	Northampton	Declared rare - Priority Two Declared rare - Priority Two	
 Tremandra stelligera	<ul style="list-style-type: none"> • Shrub 0.1-1.5m h • Flw: Pink - Purple- Blue • May - July • Sand, Loam 	Albany, Augusta-Margaret River, Bridgetown-Greenbushes, Busselton, Collie, Dardanup, Denmark, Donnybrook-Balingup, Manjimup, Murray, Nannup, Plantagenet		
 Verticordia chrysanthella	<ul style="list-style-type: none"> • Corymbose shrub 0.2-1m h • Flw: yellow • Jul to Dec • Sand, Loam, Clay, Moist 	Avon Wheatbelt P1, Avon Wheatbelt P2, Dandaragan Plateau, Fitzgerald, Geraldton Hills, Lesueur Sandplain, Perth, Recherche, Southern Jarrah Forest, Western Mallee		
 Verticordia densiflora	<ul style="list-style-type: none"> • Erect to spreading shrub 0.25-2m h • Flw: pink-purple-white/cream-yellow • Sep to Fe • Loam, Gravel, Clay, Moist 	Albany, Busselton, Cranbrook, Dandaragan, Dardanup, Jerramungup, Manjimup, Narrogin, Plantagenet, Wongan-Ballidu		

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 <p>Verticordia endlicheriana var angustifolia</p> <p><i>Priority Three</i></p>	<ul style="list-style-type: none"> Erect shrub 0.3-0.5m h Flw:yellow • Oct to Nov Fol:Rich Green. Gravel,Clay,Shade,Sun 	Albany, Denmark, Manjimup, Plantagenet	ORNAMENTAL PLANT. CONTAINER PLANT. ROCKERY PLANT. NEEDS GOOD DRAINAGE. PLANT IN CLUMPS FOR VISUAL IMPACT.	
 <p>Verticordia longistylis</p> <p><i>Priority Three</i></p>	<ul style="list-style-type: none"> Spreading shrub 0.05-0.7m h Flw:yellow & red/purple • Dec or Jan to Jul Sand,Loam,Gravel,Adaptable 	Jerramungup, Ravensthorpe		
 <p>Verticordia mitchelliana Rapier Feather Flower</p>	<ul style="list-style-type: none"> Spreading shrub 0.2-0.7m h x 3m w Flw:red • Aug to Dec Sand 	Dowerin, Dundas, Koorda, Lake Grace		
 <p>Verticordia plumosa Plumed Feather Flower</p>	<ul style="list-style-type: none"> Shrub 0.2-1.5m h Flw:pink-blue-purple-red-white • Jul to Dec or Ja Sand,Loam,Gravel,Clay,Moist 	Albany, Armadale, Augusta-Margaret River, Busselton, Dumbleyung, Esperance, Gnowangerup, Jerramungup, Kulin, Manjimup, Ravensthorpe, Serpentine-Jarrahdale		
 <p>Verticordia plumosa var. ananeotes</p> <p><i>Threatened Flora (Declared Rare Flora — Extant)</i></p>	<ul style="list-style-type: none"> Erect. sparsely branched shrub. 0.3-0.5m h Flw:pink-purple/white • Nov to Dec Sand,Clay,Moist 	Busselton, Murray, Serpentine-Jarrahdale		
 <p>Verticordia plumosa var. brachyphylla</p>	<ul style="list-style-type: none"> Small bushy shrub 0.6m h x 0.6m w Flw:Pink or white • Spring Sand 			
 <p>Verticordia plumosa var. incrassata</p>	<ul style="list-style-type: none"> Shrub 0.25-0.8m h Flw:pink-purple/red • Jul-Nov Sand,Gravel 	Cranbrook, Dumbleyung, Dundas, Esperance, Gnowangerup, Jerramungup, Kent, Kondinin, Lake Grace, Narembreen, Plantagenet, Ravensthorpe, Wongan-Ballidu, Yilgarn		

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
	Verticordia staminosa var erecta <i>Threatened Flora (Declared Rare Flora — Extant)</i>	<ul style="list-style-type: none"> Erect. compact shrub 0.15-1m h Flw:green-yellow/yellow-brown • Jul to Oct Sand,Loam,Gravel 	Kondinin, Lake Grace	
	Viola banksii Previously known as V. hederacea	<ul style="list-style-type: none"> ground cover 0.1m h Flw:white-mauve • most of year Shade,Moist,Adaptable 	Native to Victoria, Tasmania, New South Wales and South Australia	
	Westringia fruticosa Smokey	<ul style="list-style-type: none"> Shrub 1.5m h x 1.5m w Flw:White • Spring Sand,Loam,Adaptable 	Native to NSW	An excellent fast growing screen or hedge in coastal gardens, that requires minimal maintenance.
	Westringia fruticosa Morning Light	<ul style="list-style-type: none"> Shrub 1.5m h x 1.5m w Flw:White • Most Months Fol:Varigated Sand,Coastal,Adaptable 		DENSE PLANT. GOOD FOR HEDGING. FAST GROWING. SALT TOLERANT. CONTAINER PLANT. GROWS IN DAPPLED SHADE.
	Westringia Jervis Gem Coastal Rosemary	<ul style="list-style-type: none"> Shrub 1m h x 1m w Flw:Mauve • Most months Fol:Grey-green Adaptable 		FAST GROWING. SALT TOLERANT. MAKES A GOOD HEDGING PLANT. GOOD SPECIMEN PLANT. DROUGHT-RESISTANT.
	Westringia Lilac and Lace	<ul style="list-style-type: none"> Shrub 1.5m h x 1.5m w Flw:Lilac • Winter-Summer Sand,Loam,Gravel,Clay,Adaptable 		
	Westringia White Rambler	<ul style="list-style-type: none"> shrub,groundcover 1m h x 3m w Flw:White • Spring-Summer Coastal,Adaptable 	Eastern States Cultivar	

Botanical Name Common Name	* Habit Height/Width * Flower Colour , Period * Soil type and Environment	Origin (LGA or IBRA)	Notes	Comment
 Westringia Wynyabbie Gem	<ul style="list-style-type: none"> • Shrub 0.6m h x 0.6m w • Flw:Mauve/pink • All year • Sand,Loam,Clay 			
 Xanthorrhoea preissii Grass Tree	<ul style="list-style-type: none"> • Tree like monocot 5m h x 2m w • Flw:white-cream on long spike • June to Dec • Sand,Loam,Gravel,Coastal,Moist 	Avon Wheatbelt P2, Dandaragan Plateau, Geraldton Hills, Lesueur Sandplain, Northern Jarrah Forest, Perth, Southern Jarrah Forest, Warren	Very slow growing - trunk 10+ years per cm Black Cockatoo : Good food source Gum from thye flowering spikes can be made into cakes. The flowers can be dipped in water to make a sweet drink. Bhardi grubs can be collected from dying plants.	
Xerochrysum bracteatum Straw Flower	<ul style="list-style-type: none"> • Erect perennial • Flw:Various • Spring-Summer Fol:Bright green • Adaptable 		Excellent for fresh and dried flowers.	
 Xylomelum occidentale Forest Woody Pear	<ul style="list-style-type: none"> • Tree or shrub 2-8m h • Flw:cream-white • Dec or Jan to Feb • Sand,Coastal 	Armadale, Augusta-Margaret River, Boddington, Bunbury, Busselton, Canning, Capel, Cockburn, Collie, Donnybrook-Balingup, Harvey, Kalamunda, Kwinana, Melville, Murray, Nannup, Serpentine-Jarrahdale, Wanneroo	INTERESTING SMALL TREE. LARGE FLOWERS.	

Acknowledgements and Copyright notice

Information has come from multiple sources. For upto date or more information refer to the references below

www.florabase.dpaw.gov.au

Cherikoff, Vic. "The Bushfood Handbook" Cherikoff Pty Ltd. 1989.

Daw, Brad et al. "Bush Tucker Plants of the South-West. Department of Conservation and Land Management (CALM), Como, 1997.

Smith, K & I. "Grow Your Own Bushfoods". New Holland Publishers (Australia) Pty Ltd. 1999.

"Soil Groups of Western Australia" - 4th Edition - Department of Agricultrual and Food

DPaW - Plants used by Caernaby's Black Cockatoo (Chistine Groom April 2011)

Caution: Do not prepare bush tucker food without having been shown by Indigenous or experienced persons. Some bush tucker (ie. Zamia Palm) if eaten in large quantities or not prepared correctly can cause illness.